Introduction:

Diamond centering drill bit is used a hole drilled in the stone diamond tools, machine screw with a fixed connection with the drill bit by bit under pressure, rotational feed on the stone cutting, mainly used in construction, such as walls, floors in the air holes, drainage holes into the vent. Diamond centering drill bit has an elongated existing drill-centering, making drilling more stable and reliable. For cooling and discharge powder, drill through the water is very important,

good for passing water can greatly extend the life of the drill bit and drill bit to keep sharpness.

Features:

- 1. The diamond centering drill bit includes an elongated pre-drill through the centering, making drilling more accurate, stable and reliable.
- 2. The drilling speed, high efficiency, no damage to the wall, comprehensive cost-effective;
- 3. The diamond centering drill bit 45 # steel materials produced, not deformed.

Specification:

The following is the normal size of our diamond centering drill bit:

Outer Diameter	Segment Specification	Usage	Length	Welding Method	Connection
25mm(1 inch)	25x2.5x8mm	Wet use	4 inch(100mm)	Siliver welding Laser welding	Clamp lever
32mm(1-1/4 inch)	32x3.0x8mm				
35mm(1-3/8 inch)	35x3.0x8mm				
38mm(1-1/2 inch)	38x3.0x8mm				
45mm(1-3/4 inch)	45x3.0x8mm				
50mm(2 inch)	50x3.0x8mm				

The above specification just a reference for customer. Other specification can be order by customers.

Picture:





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Similar product:





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com