

## Production Description:

**Introduction**□Boreway diamond cup grinding wheels are usually used with large grinding machine and other hand-held grinding machines, these diamond cup grinding wheels are designed for the restoration or maintenance of granite, marble, and many other stone surfaces. Boreway diamond cup grinding wheels are polishing with quick speed and without scratch.

**Using sequence**□From the thick number to the number, Polishes finally.

**Advantage**□Our products export to Brazil, India, Australia, USA, Ukraine, Italy, Poland, Russia, more than 20 different countries. In these overseas markets, our cup grinding wheels enjoy a good reputation, we get good feedbacks about their corresponding test result, and also a long lifespan. So, we are confident in our products quality.

**All of our products have been strictly tested before access to market.**

**Other specification can be ordered by client.**

## Detailed Images:

### Turbo segment diamond cup grinding wheels:

Turbo segment diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of turbo segment diamond cup grinding wheels:

| Diameter | Segment Height | Connection   | Grit |
|----------|----------------|--------------|------|
| 5"/125mm | 7-10mm         | M14 M16      | 6#   |
| 6"/150mm | 7-10mm         | 5/8"-11      | 16#  |
| 7"/180mm | 7-10mm         | 20mm 22.23mm | 30#  |
| 8"/200mm | 7-10mm         | Snail Lock   | 60#  |
| 9"/230mm | 7-10mm         |              | 120# |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com

## Single/double row diamond cup grinding wheels:

Single/double row diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These single/double row diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of single/double row diamond cup grinding wheels:

| Diameter   | Segment Height | Connection   | Grit |
|------------|----------------|--------------|------|
| 3"/75mm    | 5mm/6mm        | M14 M16      | 35#  |
| 4"/100mm   | 5mm/6mm        | M18 M20      | 50#  |
| 4.5"/115mm | 5mm/6mm        | 5/8"-11      | 120# |
| 5"/125mm   | 5mm/6mm        | 20mm 22.23mm | 200# |
| 6"/150mm   | 5mm/6mm        | Snail Lock   | 400# |
| 7"/180mm   | 5mm/6mm        |              |      |
| 8"/200mm   | 5mm/6mm        |              |      |
| 9"/230mm   | 5mm/6mm        |              |      |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com

## Continuous rim diamond cup grinding wheels:

Continuous rim diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These Continuous rim diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of Continuous rim diamond cup grinding wheels:

| Diameter   | Segment Height | Connection   | Grit |
|------------|----------------|--------------|------|
| 4"/100mm   | 5mm/6mm        | M14 M16      | 30#  |
| 4.5"/115mm | 5mm/6mm        | M18 M20      |      |
| 5"/125mm   | 5mm/6mm        | 5/8"-11      | 60#  |
| 6"/150mm   | 5mm/6mm        | 20mm 22.23mm |      |
| 7"/180mm   | 5mm/6mm        | Snail Lock   | 120# |
| 8"/200mm   | 5mm/6mm        |              |      |
| 9"/230mm   | 5mm/6mm        |              |      |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com

## Electroplate/vacuum brazed diamond cup grinding wheels:

Electroplate/vacuum brazed diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These electroplate/vacuum brazed diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of electroplate/vacuum brazed diamond cup grinding wheels:

| Diameter | Segment Height | Connection | Grit        |
|----------|----------------|------------|-------------|
| 4"/100mm | 2mm            | 20mm       | 30#         |
| 5"/125mm | 2mm            | 20mm       | 60#<br>120# |
| 6"/150mm | 2mm            | 20mm       |             |
| 7"/180mm | 2mm            | 20mm       |             |
| 8"/200mm | 2mm            | 20mm       |             |

The above specifications just a reference for you.

Other specifications can be ordered by client.





Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com

## Special segment diamond cup grinding wheels:

Special segment diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These special segment diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of special segment diamond cup grinding wheels:

| Diameter   | Segment Height | Connection   | Grit |
|------------|----------------|--------------|------|
| 4"/100mm   | 5mm/6mm        | M14 M16      | 35#  |
| 4.5"/115mm | 5mm/6mm        | M18 M20      | 50#  |
| 5"/125mm   | 5mm/6mm        | 5/8"-11      | 120# |
| 6"/150mm   | 5mm/6mm        | 20mm 22.23mm | 200# |
| 7"/180mm   | 5mm/6mm        | Snail Lock   | 400# |
| 8"/200mm   | 5mm/6mm        |              |      |
| 9"/230mm   | 5mm/6mm        |              |      |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

## Packing & Delivery:

We will deliver within seven days of your payment, diamond cup grinding wheels are packed in cartons.

We can also pack the diamond cup grinding wheels according to your requirements.

Special diamond cup grinding wheels delivery through consultation.

## Contact Us:

**Fujian Nanan Boreway Machinery Co., Ltd.**

**ADD:** Hongxing Street, Shuitou Town, Quanzhou, Fujian, China,

**Post Code:** 362342

**TEL:** (+86)595-86990206/(+86)18250633812

**FAX:** (+86)595-86990220

**Facebook/Skype/LinkedIn/Whatsapp/WeChat** ☐ Chois Dong