

## Feature:

- 1.**M shape diamond cutting segment** is stable and the saw blade does not deviate during operation.
- 2.The diamond is not easy to fall off, and the metal matrix can firmly hold the diamond.
- 3.The sharpness of the cutter head is good and the cutting speed is fast.

## Product Description

**M shape diamond cutting segment**, the damage rate of the cutter head is low, and the high-strength diamond can reduce the damage rate of the diamond during the operation of the cutter head and increase the biting force, showing good sharpness and fast cutting speed of the cutter head.

The diamond is not easy to fall off, and the metal matrix can firmly hold the diamond, reduce the diamond falling off in the cutting work, and the wear resistance coefficient of the cutter head is good.

Stone cutting segment wholesales is stable. [Stone Block Cutting Diamond Segments Manufacturer](#).According to the service environment, we design the cutting head into M shape, sandwich type, so that the cutting head is stable and the saw blade does not deviate during operation

## Product Specification:

The following are normal specifications **M Shape Diamond Cutting Segment**:

Product Name	Segment Size			Application
	L	W	H	
M Shape Diamond Cutting Segment	24MM	12.5/11.5MM	20MM	Granite, Sandstone, Various Hard Stone

The above specifications is only for reference, other specifications may be available as per customer's demand.

**Other Specifications Of Cutter Segment:**

Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

### Multi-Blade And Single-Disc Saw Blade Specifications:

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

[Product show](#)

**Stone Cutting Tool M Shape Diamond Segment For 3000mm Single Saw Blade**



# Diamond Saw Blade Segment

Fast Cutting


Long Life



M Shape



**Segment Size:**  
**24x12.5/11.5 X20mm**










### Application:

[Stone Block Cutting Diamond Segments Manufacturer](#) for granite, sandstone, various hard stone.

Granite block diamond segment for bridge cutting machine and single arm machine.

Diamond segmented circular saw blades factory, using in block cutting for 900-3500mm circular saw blades for block cutting.



## FAQ

### 1.What is your terms of payment?

We accept DHL,Fedex,TNT, UPS , etc.

### 2. Are you a trading company or a diamond tool manufacturer?

We are a diamond tool manufacturer, Nanan Boreway Co., Ltd. is a professional and



experienced diamond tool manufacturer in China.

We have a relative product price advantage, maintain controllable product quality, high quality and stability of diamond raw materials.

### 3.What are our advantages?

Our teams is professional and the members have good study of the diamond tools. We offer quick response. Each messege or email will be replied within 24 hours.In the past few decades, Boreway diamond tools has made many orders of the OEM/ODM successfully . Some of the OEM/ODM services are free of charge!



#### Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)





**Lyon Chang**