Descriptions:



Metal Bond Three Quarter PCD Diamond Redi Lock Grinding Shoes For Concrete Floor

PCD Grinding Shoes used on Universal floor grinding machine. Epoxy, glue, concrete coating removing PCD grinding shoes.

PCD Grinding Shoes designed for concrete floor restoration, epoxy, glue and any other concrete floor coating removal.

Specifications:

The following are normal specifications PCD Grinding Shoes:

| Name: | PCD Grinding Shoes | | | |
|----------------|------------------------------------------------|--|--|--|
| Segment Grit: | 16-270#etc. | | | |
| Size: | Double PCD Segments | | | |
| Application: | Concrete and Terrazzo Floor | | | |
| Segment Size: | 1/4 PCD*3T | | | |
| Material: | PCD+Metal Blank | | | |
| Connection: | Redi Lock Husqvarna or Scanmaskin Blank | | | |
| Machine: | Husqvarna Quick Connceting Grinding Machine | | | |
| Grit Hardness: | Soft Bond, Medium Bond, Hard Bond | | | |

Specially designed tools are available for any standard application. We can

Tailor your tools to your specific needs.

Product Details:

PCD Grinding Shoes:

<PCD Diamond Grinding Shoes>



Grit: 16- 270# etc.

1/4 PCD*3T







Husqvarna Redi Lock Blank Scanmaskin Blank

Connection:

- (1) Husqvarna Redi Lock
- (2) Scanmaskin Redi Lock

If you are interested in our products, you can click on me.

Applications:

- 1.PCD Grinding Shoes used for removing all types of coatings such as paint, varnish, glue, epoxy, acrylic, screed residue, VCT mastic, black tar adhesive as well as thick rubber materials on the concrete floor.
- 2.PCD Grinding Shoes suitable for general (concrete, stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.









| CONCRETE HARDNESS | Xtreme Hard | Very Hard | Hard | Medium Hard | Soft | Very Soft |
|----------------------|----------------|-----------|-----------|----------------|-----------|-----------|
| PSI | 6500-9000 | 5000-7000 | 4000-5000 | 3000-4000 | 1500-3500 | 1000-2000 |
| MPA | C50-C65 | C40-C55 | C30-C50 | C20-C40 | C15-C25 | C10-C20 |
| CODE | XHF | VHF | HF | MHF | SF | VSF |
| COLOUR | | | | | | |

Note: Special logo, segment size and shapes, installation are available by customer's request.

Advantages:

PCD Grinding Shoes very efficient for the toughtest situations such as the removal of very persistent coating.

Features:

PCD Grinding Shoes excellent wear resistance, lower cost, better surface finish etc.

Related Products:





Double PCD Diamond Grinding Shoes

Three PCD Diamond Grinding Shoes

About us:



Our service:

- 1. Low order quantity: It can meet the test order you need.
- 2. Fast delivery: We get great discounts from freight forwarders.
- 3. OEM Acceptable: We can produce according to your samples or drawings.
- 4. Good quality: We have a strict quality control system. Has a good reputation in the market.
- 5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

Description:

1. If we want to order your product, how do we know your quality?

Please test in a very small order and then you will know the quality. Now, so Many people in the world use Chinese products because of their high quality and high quality.

competitive price. We are a professional diamond tool manufacturer.

In any case, for more than 8 years, confirm the quality of our products, small test orders will be tested

necessary.

Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe that people will get them.

By paying for samples, we will cherish and appreciate the more they get. We would have been

Be prepared to offer our potential customers a special discount for participating in the test. It is very important to provide feedback to us and we will be very grateful.

3. Does your company accept customization?

Of course, we accept it. Includes different colors, gravel, etc. We can also tag your own logo And the brand on the board. You want us to produce any new products for you, just send us your products.

Drawing or sample, we produce the same. We will not sell such products to others Only customers can get a license.

Please note:

- 1. Please provide items before purchase.
- 2. Please provide the model number before purchase.
- 3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan functional Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **S**Fax: (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 13559599186

E-mail: boreway05@boreway.net

Kelly Huang