Metal Bond Oval Segment Diamond Grinding Disc Concrete Terrazzo Floor Redi Lock Shoe for Husqvarna Floor Grinder

Description:

Pad Type: Grinding Bar

Connection: Redi-lock style

Grit No.: 6#, 16#, 20/25#, 30/40#, 50/60#, 70/80#, 80/100#,120/150#,

200/220#,325/400#





Features:

- **Oval Segment Husqvarna Grinding Disc** can be made into a three inch and ten segments grinding disc , providing an ultra-long service life , this model is recommended for large horsepower or large grinding machine.
- Oval Segment Husqvarna Grinding Disc can be designed into a variety of different shapes of single segment or double segments, also can be customized according to the customer's special shape and specific numbers of segments.
- Oval Segment Redi Lock Grinding Disc for general (concrete, stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.
- 2 Segment Diamond Grinding Bar, Metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process. Metal bond diamonds have high strength, excellent wear resistance, and a low friction coefficient.

The normal size of **Oval Segment Husqvarna Grinding Disc:**

Product Name	Double Oval Segment Husqvarna Grinding Disc		
Segment Shape	Oval Shape	Segment Height:	10mm,13mm
Connector	Redi Lock	Brand	Boreway
Item No.	BW-HU-OS-02	Machine	Husqvarna Grinder
Application	Concrete Terrazzo Epoxy Floors	Material	Diamond + Metal Powder Combination

Other connection and specification can be customized according to need

If you need it, please continue contact with us, you can click here

Please refer to the use of machine

video: https://www.youtube.com/watch?v=dmscCN9Yj5s&t=4s


Advantage:

Oval Segment Husqvarna Grinding Disc

- For example below can be made into a three inch and ten segments grinding disc , providing an ultra-long service life , this model is recommended for large horsepower or large grinding machine.
- Can be designed into a variety of different shapes of single segment or double segments, also can be customized according to the customer's special shape and specific numbers of segments.


Product Detail:

Oval Segment Husqvarna Grinding Disc



Bond:

- Soft Bond The metallic powder in the sintered segment wears away quickly releasing dull diamond crystals exposing new abrasive crystals to cut efficiently. Best used on hard surfaces.
- Medium Bond A metal bond strength right between that of soft and hard bonds.
- Hard Bond The bond of the metallic powder in the segment wears away slowly and prevents premature wear against soft, abrasive surfaces.



Oval Segment Husqvarna Grinding Disc has developed a very broad range of metal-bond diamond tools to achieve maximum capacity at minimum cost and to suit most types of floor. The matching of various floors and bond is as follows.

Factory Price Redi Lock Concrete Grinding Pads for general (concrete, stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.

Application:

Oval Segment Husqvarna Grinding Disc for Husqvarna Grinder.

Oval Segment Husqvarna Grinding Disc have high strength, excellent wear resistance, and a low friction coefficient.

Metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process.

Other Pads Use For Husqvarna, Werkmaster, Lavina, Sti, Htc, Blastrac, Scanmaskin, Klindex, Edco Grinders Etc.





Contact Us:

Fujian Nanan from War Machinery Co.,Ltd.

