

Descriptions:



Redi Lock Diamond Grinding Block With Sharp Segment Two PCD For Epoxy Glue Coating

Redi Lock Diamond Grinding Block With Sharp Segment Two PCD For Epoxy, glue, concrete coating removing

- Designed for concrete floor restoration, epoxy, glue and any other concrete floor coating removal

- Used on Universal floor grinding machine

Used for removing all types of coatings such as paint, varnish, glue, epoxy, acrylic, screed residue, VCT mastic, black tar adhesive as well as thick rubber materials on the concrete floor.

Specifications:


The following are normal specifications Redi Lock Diamond Grinding Block With Sharp Segment Two PCD:

Name:	Redi Lock Diamond Grinding Block With Sharp Segment Two PCD
Segment Grit:	16-270#etc.
Segment Size□	1/4 PCD*2T 40*10*5mm*1T (mm)
Size□	PCD+1 Bar Segment
Material:	PCD+Diamond + Metal powder
Quality:	International Standard Quality
Connection:	Redi Lock Husqvarna Blank
Machine:	Husqvarna Quick Conncting Grinding Machine
Bond:	Soft Bond, Medium Bond, Hard Bond.

Specially designed tools are available for any standard application. We can tailor your tools to your specific needs.

Product Details:

Redi Lock Diamond Grinding Block With Sharp Segment Two PCD:



[If you are interested in our products, you can click on me.](#)

Applications:

Redi Lock Diamond Grinding Block With Sharp Segment Two PCD suitable for general

(concrete,stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.



Grinding Machine



Concrete Grinding Effect

Color:

Color:

Medium Bond-Red
 Hard Bond-Black
 Soft Bond-Yellow
 Size: Husqvarna Blank

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500–9000	5000–7000	4000–5000	3000–4000	1500–3500	1000–2000
MPA	C50–C65	C40–C55	C30–C50	C20–C40	C15–C25	C10–C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

Connection Holes:

1. Husqvarna Redi Lock
2. Scanmaskin Redi Lock



Husqvarna Redi Lock Blank Scanmaskin Blank

Note: Special logo, segment size and shapes, installation are available by customer's request.

Advantages:

Very efficient for the toughest situations such as the removal of very persistent coating.

Features:

Excellent wear resistance, lower cost, better surface finish etc.

Related Products:



[Three Segments Grinding Shoes](#)



[Four Segments Grinding Shoes](#)

About us:



Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

Description:

1. If we want to order your product, how do we know your quality?

Please test in a very small order and then you will know the quality. Now, so Many people in the world use Chinese products because of their high quality and high quality.

competitive price. We are a professional diamond tool manufacturer.
In any case, for more than 8 years, confirm the quality of our products, small test orders will be tested necessary.

Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe that people will get them.

By paying for samples, we will cherish and appreciate the more they get. We would have been

Be prepared to offer our potential customers a special discount for participating in the test. It is very important to provide feedback to us and we will be very grateful.

3. Does your company accept customization?

Of course, we accept it. Includes different colors, gravel, etc. We can also tag your own logo And the brand on the board. You want us to produce any new products for you, just send us your products.

Drawing or sample, we produce the same. We will not sell such products to others Only customers can get a license.

Please note:

1. Please provide items before purchase.
2. Please provide the model number before purchase.
3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan *boreway* Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /  **Fax:** (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 13559599186



E-mail: boreway09@boreway.net



Chilin Lin