

**Introduction:**

Sealed curing floor polishing machine 12T-640 is be used for floor griniding,coarse concrete floor burnishing,old epoxy floor renovation,sealed curing floor polishing,marble ground maintenamce.

**Feature:**

- 1.Using the precise helical tooth synchronizing wheel,the machine is never noisy and the machine run much more smoothly;
- 2.With ultra low center of gravity,then machine is more stable and work strongly;
- 3.The innovation of design makes the machine much more coordinate with the man,you will feel relax after a long working time.

**Specification:**

The normal specification of Sealed curing floor polishing machine 12T-640:

Model	Power output	Voltage	Working width	Frenquency conveter	Disc rotate speed	Disc quantity	Water Tank volume	Weight
Unit	Kw	V	MM		RMP	T	L	Kg
12T-640A-1	9.5	380	640	/	0~1400	12	68	270
12T-640A-2	9.5	380	640	11	0~1800	12	68	280
12T-640A-3	9.5	Single-phase 220	640	11	0~1800	12	68	280

The above are normal specification for reference.Other specification can be ordered by customers.

**Picture:**



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar product:**

Coarse concrete floor burnishing machine 12T-580A, Muti-function floor grinding machine 12T-580A



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)