China Factory Single Hexagon Segment Diamond Grinding Pad Shoe For Concrete Floor Husqvarna

Advantages:

Single Hexagon Segment Diamond Grinding Pad

- 1, The packing is firm and exquisite.
- 2, Competitive price and superior quality.
- 3, High efficiency grinding concrete floor.
- 4, Sharp and durable Metal bond diamond.
- 5, Excellent pre-sales and after-sales service.



Single Hexagon Segment Diamond Grinding Shoe

Specification:

The normal size of Single Hexagon Segment Diamond Grinding Pad:

Product Name	China Factory Single Hexagon Segment Diamond Grinding Pad Shoe For Concrete Floor Husqvarna		
Segment Shape	Hexagon	Segment Size	33*17/13*8
Place of Origin	Fujian, China	Brand	Boreway
ltem No.	BW-HU-HS-01	Machine	Husqvarna Grinder

Material

Other connection and specification can be customized according to need

If you need it, please continue contact with us, you can click here

Description:

Single Hexagon Segment Diamond Grinding Pad suitable for general (concrete,stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.

Single Hexagon Segment Diamond Grinding Pad has developed a very broad range of metal-bond diamond tools to achieve maximum capacity at minimum cost and to suit most types of floor. The matching of various floors and bond is as follows.

Bond:



Soft Bond – The metallic powder in the sintered segment wears away quickly releasing dull diamond crystals exposing new abrasive crystals to cut efficiently. Best used on hard surfaces.

Medium Bond - A metal bond strength right between that of soft and hard bonds.

Hard Bond – The bond of the metallic powder in the segment wears away slowly and prevents premature wear against soft, abrasive surfaces.



Single Hexagon Segment Diamond Grinding Pad, which specialized design for very aggresive, high-performance, long life diamond grinding tools.





Application:

Single Hexagon Segment Diamond Grinding Pad is use for Husqvarna Grinder.

Single Hexagon Segment Diamond Grinding Pad have high strength, excellent wear resistance, and a low friction coefficient.



Metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process.





About Us:



Packing Delivery:

PS:

- 1.Tools packing in carton cases
- 2.By Air/Sea for batch goods, Airport/Port receiving
- 3.Less than 45kg, generally delivery by express(Door to Door[]
- 4. When tools are in large quantities, they are packing in wooden cases



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



Our Service:

1.Low MOQ: It can meet your trial order need well.

2.OEM Accepted: We can produce according to your sample or drawings.

3.Good Service: We treat our clients as God with high professionalism and passion.

4.Good Quality: We have strict quality control system. Good reputation in the market.

5.Fast Delivery: We have big discount from forwarder.

Contact Us:

Fujian Nanan Manan Machinery Co., Ltd.

🔀 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **SFax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang