

## Descriptions:



### Two Round Segments PCD Trapezoid Concrete Grinding Shoes For Epoxy Remova

**PCD Trapezoid Concrete Grinding Shoes.** Used on Universal floor grinding machine. Designed for concrete floor restoration, epoxy, glue and any other concrete floor coating removal.

**PCD Trapezoid Concrete Grinding Shoes.** Used for removing all types of coatings such as paint, varnish, glue, epoxy, acrylic, screed residue, VCT mastic, black tar adhesive as well as thick rubber materials on the concrete floor.

## Specifications:

The following are normal specifications **Two Round Segments PCD Trapezoid Concrete Grinding Shoes For Epoxy Remova:**

|               |                                        |
|---------------|----------------------------------------|
| Type:         | Grinding Shoes                         |
| Size:         | Two Quarter PCD And Two Round Segments |
| Segment Grit: | 16-270#etc.                            |
| Segment Size: | 1/4 PCD*2T□D25mm*H5mm*2T               |
| Material:     | PCD+Diamond Segments + Metal Blank     |
| Connection:   | 3 X M6 or M8 or Bare Holes             |
| Application:  | Concrete and Terrazzo Floor            |
| Machine:      | Quick Connecting Grinding Machine      |
| Bond:         | Soft Bond, Medium Bond, Hard Bond.     |

Specially designed tools are available for any standard application. We can Tailor your tools to your specific needs.

## Product Details:

### Two Round Segments PCD Trapezoid Concrete Grinding Shoes For Epoxy Remova:

Two Square Segments  
Sizes: 20\*20\*10mm\*2T



### Quick Connecting Grinding Machine




### Connection Holes:

1. Metal Blank with Three M6 Thread Holes
2. Metal Blank with Three M8 Thread Holes
3. Metal Blank with Three Bare Holes

## Applications:

**PCD Trapezoid Concrete Grinding Shoes.** Suitable for general (concrete, stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.










### Advantages:

1. The high diamond concentration provides for a faster grinding rate while the high quality of the diamonds provides longer grinding life.
2. Grinding segments with heat treated steel bodies which provide increases durability and grinding life.
3. Venting holes for fast, dry or wet grinding with long life.

### Color:

| CONCRETE<br>HARDNESS | Xtreme<br>Hard                                                                      | Very Hard                                                                           | Hard                                                                                | Medium<br>Hard                                                                       | Soft                                                                                  | Very Soft                                                                             |
|----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PSI                  | 6500-9000                                                                           | 5000-7000                                                                           | 4000-5000                                                                           | 3000-4000                                                                            | 1500-3500                                                                             | 1000-2000                                                                             |
| MPA                  | C50-C65                                                                             | C40-C55                                                                             | C30-C50                                                                             | C20-C40                                                                              | C15-C25                                                                               | C10-C20                                                                               |
| CODE                 | XHF                                                                                 | VHF                                                                                 | HF                                                                                  | MHF                                                                                  | SF                                                                                    | VSF                                                                                   |
| COLOUR               |  |  |  |  |  |  |

**Note:** Special logo, segment size and shapes, installation are available by customer's request.

### Choosing between soft, medium, and hard bonds:

1. Soft Bond (Yellow) - The metallic powder in the sintered segment wears away quickly

releasing dull diamond crystals exposing new abrasive crystals to cut efficiently. Best used on hard surfaces.

2. Medium Bond (Red) – A metal bond strength right between that of soft and hard bonds.

3. Hard Bond (Black) – The bond of the metallic powder in the segment wears away slowly and prevents premature wear against soft, abrasive surfaces.

### Features:

Excellent wear resistance, lower cost, better surface finish etc.

### Related Products:



Boreway Machinery Co., Ltd  
www.diamondtools.top  
www.boreway.net



Boreway Machinery Co., Ltd  
www.diamondtools.top  
www.boreway.net



Boreway Machinery Co., Ltd  
www.diamondtools.top  
www.boreway.net

[2 Square Grinding Shoes](#) [3 Bar Grinding Shoes](#) [2 Rhombus Grinding Shoes](#)

### About us:



### Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

### Description:

#### **1. If we want to order your product, how do we know your quality?**

Please test in a very small order and then you will know the quality. Now, so Many people in the world use Chinese products because of their high quality and high quality.

competitive price. We are a professional diamond tool manufacturer.  
In any case, for more than 8 years, confirm the quality of our products, small test orders will be tested necessary.

### **Can you provide samples for free?**

We do not provide free samples. Based on years of experience, we believe that people will get them.

By paying for samples, we will cherish and appreciate the more they get. We would have been

Be prepared to offer our potential customers a special discount for participating in the test. It is very important to provide feedback to us and we will be very grateful.

### **3. Does your company accept customization?**

Of course, we accept it. Includes different colors, gravel, etc. We can also tag your own logo And the brand on the board. You want us to produce any new products for you, just send us your products.

Drawing or sample, we produce the same. We will not sell such products to others Only customers can get a license.

### **Please note:**

1. Please provide items before purchase.
2. Please provide the model number before purchase.
3. Other specifications can be customized according to requirements.

### **Contact us:**

**Fujian Nanan *boreway* Machinery Co.,Ltd.**

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 13559599186

 **E-mail:** [boreway05@boreway.net](mailto:boreway05@boreway.net)

 **Kelly Huang**