

Table 1

Table 1: CNC specifications and parameters. This table provides detailed information regarding the CNC machine's capabilities, including its maximum speed, tool types, and processing parameters.

Table 1: D350 mm CNC specifications, including a 40 mm parameter.

Table 2

- 1. Maximum speed: 4500 RPM
- 2. Tool types: Carbide, HSS
- 3. Tool diameter: 10mm; 12mm; Aebor 50mm 60mm
- 4. Tool material: Diamond
- 5. Tool length: 40mm, 50mm, 60mm, 100mm, 200mm

Table 3

Table 3: Specifications for different tool diameters and lengths.

Tool Diameter / mm	Tool Length / mm	Tool Material / mm	Tool Type	Tool NO.	Tool Material
250 300 350 400	20 25 30 35 40	50 60	Φ10-2+ 2 Φ50-3+ 3	30/40 60 100 200	CNC Carbide HSS

Table 4: RPM specifications and parameters.

RPM	Tool Diameter	Tool Length
4500	400-600mm /	3mm

Table 5: Additional specifications and parameters.

Table 6

Table 6: Summary of CNC specifications and parameters.

boreway®



1 Designed for grinding or milling surface of stone



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



2 Nylon body with light-weight.

3 Arbor 50mm or 60mm available

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

□□ □□ □□□□□□□□□□□□□□□□□□ □□□□□□□□□□

□□□□□□

□□□□□□□□□□□□

2.□□□□□□□□□□ □□□□□□□□□□□□□□

-DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



福建南平

福建南平
福建南平
福建南平
福建南平
福建南平mm
福建南平
福建南平
福建南平
福建南平
福建南平mm
福建南平

福建南平

Fujian Nanan Boreway Machinery Co.,Ltd.
福建南平Huahui Center 605 Shuitou Town福建南平
福建南平362342
TEL福建南平+86福建南平595-86990206 / 福建南平+ 86福建南平18250633812
福建南平+86福建南平595-86990220
福建南平1575259146
E福建南平boreway06@boreway.net
福建南平http:// www.diamondtools.top