B□□□□□1400mm □□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□

□□□

1□ **1400mm**□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4. 1400mm□□□□□□□□□□□□□□□□□□□

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

Support Sample Processing Customization

Style and Specifications

Contact Salesman

Due to the large number of product specifications and styles,in order to avoid conflicts,please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.

2

Mail Samples
According to the buyer's demand for proofing,the manufacturer needs the buyer to pay the proofing fee first, and the sample fee will be returned after the order is concluded.
3
Generate Order
The buyer receives the sample. If satisfied, place an order for batch production. After confirming the receipt,contact the salesman to return the proofing cost.
4

□□=□□□□=□□□□=□□□□= OEM

□□□
□□□□

□□□□□□□□□□

1400mm□□□□□□□□□□□□□□□□□□□□ 900-3500mm□□□□□□□□□□□□□□□□□□□

□□□□□□□□□



Our factory use original high grade diamond
Other factory mix second diamond selected from waste segment
pk
Our blade cutting effect
Other supplier blade cutting effect
pk

1.□□□

Brazing Machine Welding Rack

Three Phase 380V 30kW High Frequency Induction Welding Machine

Welding segment effect

□□□□□

1800mm□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

EDAX
D8

boreway
福建省南安博威机械有限公司
FUJIAN NAN'AN BOREWAY MACHINERY CO., LTD.
boreway
福建省南安博威机械有限公司
FUJIAN NAN'AN BOREWAY MACHINERY CO., LTD.

□□□□□□

1. Tools packing in carton cases;
2. When tools are in large quantities, they are packing in wooden cases.

-DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).

By Air / Sea for batch goods, Airport / Port receiving.

BY AIR

BY SEA

□□□□□□□□

1.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
2□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
3.□□□□□□OEM□□□□□□□□□□□□□□□□□□□

**3.□□□