[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]
[illegible]

300-600mm[illegible]					
[illegible]		[illegible]			[illegible]
[illegible]	mm	[illegible]	[illegible]	[illegible]	[illegible]

12	300	40	3.0	8/10	21
14	350	40	3.2	8/10	25
16	400	40	3.6	8/10	28
18	450	40	4.0	8/10	32
20	500	40	4.2	8/10	36
24	600	40	4.6	8/10	42

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Applicable materials

To meet your demands for cutting different materials,such as granite,marble,quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc.Different segments recipe were been developed by our company.





□□□□□



□□□

1.□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□

Granite Block Cutting Segment
Granite Edge Cutting Segment
Marble Block Cutting Segment
Marble Edge Cutting Segment

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□

EDAX
D8

□□□□□□

[illegible]

1.[illegible]
2[illegible] [illegible]
3.[illegible]OEM[illegible]
4.[illegible]
5[illegible] [illegible]

[illegible]

1.[illegible]
[illegible]

2.[illegible]
[illegible]

1 RPM

2

3

3.

Fujian Nanan boreway Machinery Co.,Ltd.

362342 ah 605

TEL +86 595-86990206 / +86 595-86990220

/ WhatsApp / Wechat + 86 13559599186

E boreway06@boreway.net