

K



| 1000-3500 mm |      |    |           |       |    |
|--------------|------|----|-----------|-------|----|
|              |      |    |           |       |    |
|              | mm   |    |           |       |    |
| 40           | 1000 | 24 | 7.4 / 6.8 | 15    | 70 |
| 44           | 1100 | 24 | 7.4 / 6.8 | 15    | 74 |
| 48           | 1200 | 24 | 7.5 / 7.0 | 15/20 | 80 |
| 52           | 1300 | 24 | 8.0 / 7.4 | 15/20 | 88 |



K□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□

## Applicable materials





To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






SPK: 24\*8.4/7.6\*15M  
DIA: 600-1800/2000  
FOR Granite  
NUM: 100Pcs  
SD604 6-18/20 U115 K45  
DATE: 2013.03.26



# Single Blade



□□□□



□□□

1. □□□□□□□□□□□□□□□□

2. □□□□□□□□□□

3. □□□□□□□□□□□□□□□□□□

□□□□□



Granite Block Cutting Segment



Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment





□□□□□





1. 轉速RPM
- 2.
- 3.


3. 轉速  
轉速

轉速

轉速


轉速

## Fujian Nanan *boreway* Machinery Co.,Ltd.

 轉速362342ah轉速605

 **TEL** +86 595-86990206 /  轉速 +86 595-86990220

 轉速 / **WhatsApp** / **Wechat** + 86 13559599186

 **E** [boreway06@boreway.net](mailto:boreway06@boreway.net)

 轉速