



1200mm V



1000-3500 mm


1000-3500 mm					
mm					
40	1000	24	7.4 / 6.8	15	70
44	1100	24	7.4 / 6.8	15	74
48	1200	24	7.5 / 7.0	15/20	80

52	1300	24	8.0 / 7.4	15/20	88
56	1400	24	9.0 / 8.4	15/20	96
64	1600	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.8 / 10.8	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180

1200mm V-shaped structure provides excellent debris removal and better cooling performance.

□□□□□

□□□□□□□□ **1200mm V** □□□□□□□□□□□□□□□□



M shape Multi Layer Structure,
Good debris removal and better cooling



1200mm V

Applicable materials





To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






SPK: 24*8.4/7.6*15M
DIA: 600-1800/2000
FOR Granite
NUM: 100Pcs
SD604 6-18/20 U115 K45
DATE: 2013.03.26





□□□□



□□□

1. □□□□□□□□□□□□□□□□

2. □□□□□□□□□□

3. □□□□□□□□□□□□□□□□□□

□□□□□



Granite Block Cutting Segment




Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment





□□□□□

□□□□□

□□□□ □ □□□ □□□□



□□□

1. 轉速RPM
- 2.
- 3.


3. 轉速
轉速

轉速

轉速 轉速


轉速

Fujian Nanan *boreway* Machinery Co.,Ltd.

 轉速362342ah轉速605

 **TEL** +86 595-86990206 /  轉速 +86 595-86990220

 轉速 / **WhatsApp / Wechat** + 86 13559599186

 **E** boreway06@boreway.net

 轉速