

[illegible][illegible][illegible][illegible]


[illegible]


300-600mm (12吋~24吋)					
吋		吋			吋
吋	吋	吋	吋	吋	吋
12	300	40	3.0	20	21

Applicable materials



To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.





□□□□



□□□

1.□□□□□□□□□□□□□□□□

2.□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□

□□□□□




Fan Shape Edge Segment




Normal Shape Edge Segment



W Shape Edge Segment




K Shape Block Segment



V Shape Block Segment



M Shape Block Segment




Slant Slot Edge Segment




Turbo Shape Edge Segment



U Slot Edge Segment





□□□□□

1. 轉速 RPM

2. 轉速範圍

3. 轉速範圍

3. 轉速範圍

轉速範圍

轉速範圍

轉速範圍

轉速範圍

Fujian Nanan **boreway** Machinery Co.,Ltd.



轉速範圍 362342 ah 605



TEL +86 595-86990206 /



+86 595-86990220



轉速範圍 / **WhatsApp** / **Wechat** + 86 13559599186



E boreway06@boreway.net



轉速範圍