

## Technical specifications

### General information

The product is designed for cutting and grinding of natural and artificial stone materials. It is suitable for use in both indoor and outdoor environments. The product is designed for use in accordance with the instructions provided in the user manual.

### Features

1. The product is designed for use in accordance with the instructions provided in the user manual.
2. The product is designed for use in accordance with the instructions provided in the user manual.
3. Ultra series
4. The product is designed for use in accordance with the instructions provided in the user manual.

The product is designed for use in accordance with the instructions provided in the user manual.

The product is designed for use in accordance with the instructions provided in the user manual.

## Dimensions

The dimensions of the product are as follows:

Steel Blank	Overall length (mm)	3950 4100 4400 4600
	Blade height (mm)	180
	Blade thickness (mm)	1.5 1.75 2.0 2.5
Segment dimension	Length (mm)	20-50
	Width (mm)	2.4/2.2 2.8/2.4 3.5/2.9 4.2/3.6

### Reference data:

Cutting material	Cutting area	Cutting speed
Beige stone series	4000 m <sup>2</sup>	14-20 cm/h
Emperador stone series	20000 m <sup>2</sup>	12-18 cm/h
Serpenggiante series	45000 m <sup>2</sup>	16-18 cm/h
Sandstone series	8000 m <sup>2</sup>	45-80 cm/h
Artificial stone series	100000 m <sup>2</sup>	25-35 cm/h

The product is designed for use in accordance with the instructions provided in the user manual.

## Technical specifications

The product is designed for use in accordance with the instructions provided in the user manual.



