## [illegible]

[illegible]

| | |
|---|---|
| [illegible] | [illegible] |
| [illegible] | 45Mn[illegible] |
| [illegible] | [illegible] |
| [illegible] | M14[illegible]22.23[illegible]5/8 "-11 |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | 4[illegible]D100mm[illegible]<br>4.5[illegible]D115mm[illegible]<br>5[illegible]D125mm[illegible]<br>7[illegible]D180mm[illegible] |

[illegible]
[illegible]

## [illegible]

[illegible]

DIAMOND
GRINDING
WHEEL DISC
180mm
115mm

SCOPE OF APPLICATION
Dry or wet grinding of concrete and other masonry materials, stone, asphalt or ceramic


12
AMP
7¼"

# Double Row Diamond Cup Wheel

115mm



125mm

180mm

[illegible]

## [illegible]

[illegible]

**Boreway** [illegible]

[illegible]



## [illegible]

[illegible] s[illegible]

[illegible]

[illegible]

1[illegible]16[illegible]24[illegible]25[illegible]30[illegible]

[illegible]

2[illegible]36[illegible]50/60[illegible]60/80[illegible]

[illegible]

3[illegible]80/100[illegible]100/120[illegible]120/150[illegible]200[illegible]

[illegible]

## [illegible]

1[illegible]

2[illegible]

3[illegible]

4[illegible]

5[illegible]

6[illegible]

## [illegible]

1.[illegible]

2.[illegible]

3.[illegible]

4.[illegible]

5.[illegible]

## [illegible]

**125MM[illegible]**

**5[illegible]**

## [illegible]

## [illegible]

1.[illegible]
2[illegible]
3.[illegible]OEM[illegible]
4.[illegible]
5[illegible]

## [illegible]

1.[illegible]
2.[illegible]
3.[illegible]

## [illegible]

Fujian Nanan boreway Machinery Co.,Ltd.

□□□□□□□362342□□□□ah□□□□605□
**TEL□** □+86□595-86990206 / □□□□□□ □+86□595-86990220
□□□□/ **WhatsApp / Wechat□** □+ 86□ 13559599186
**E□□□□** boreway05@boreway.net
□□□□□□□□