[illegible]

[illegible]**Boreway**[illegible]**W**[illegible]

[illegible] [illegible] [illegible]

[illegible] [illegible] [illegible]

[illegible]

[illegible]

[illegible] [illegible] [illegible]

[illegible]				
[illegible]	[illegible]L * W * H[illegible]			[illegible]
300	40	3.0 / 3.2	8/10/12	21
350	40	3.0 / 3.2	8/10/12/15	24
400	40	3.4 / 3.6 / 3.8	8/10/12/15	28
450	40	4.0 / 4.2	8/10/12/15	32
500	40	4.0 / 4.2	8/10/12/15	36

600	40	4.6 / 4.8	8/10/12/15	42
700	40	5.5 / 5.2	8/10/12/15	42
800	40	6.0	8/10/12/15	46

□□□W□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□

□□□□□

□□□□Boreway□□□W□□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□

□□□□□Boreway□□□W□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Applicable materials

To meet your demands for cutting different materials,such as granite,marble,quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc.Different segments recipe were been developed by our company.



□□□□□



□□□

1.□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□

_

Granite Block Cutting Segment

Granite Edge Cutting Segment

Marble Block Cutting Segment

Marble Edge Cutting Segment

–

□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

EDAX
D8

□□□□□□

[illegible]

1.[illegible]
2、[illegible]
3.[illegible]OEM[illegible]
4.[illegible]
5、[illegible]

[illegible]

1.[illegible]
[illegible]

2.[illegible]
[illegible]

1[illegible]RPM[illegible]
2[illegible]
3[illegible]

3.[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Fujian Nanan boreway Machinery Co.,Ltd.

[illegible]362342[illegible]ah[illegible]605[illegible]

TEL[illegible] [illegible]+86[illegible]595-86990206 / [illegible] [illegible]+86[illegible]595-86990220

[illegible]**/ WhatsApp / Wechat**[illegible] [illegible]+ 86[illegible] 13559599186

E[illegible] boreway06@boreway.net

[illegible]