

超聲波冷熱震動器

本系列超聲波冷熱震動器採用最先進MOSFET功率管及超聲波換能器，具有輸出功率大、溫度控制精確、冷熱震動時間長、工作穩定、維護簡便、使用壽命長等優點。

- 1. Under 100kg 重量之工件，只需1.5分鐘即可震動。
- 2. 可選配EXT功能，用於震動較重之工件。
- 3. 具有溫度保護功能，防止工件因過熱而變形。
- 4. 具有溫度顯示功能，溫度範圍在100℃至300℃。
- 5. 設計有24小時連續工作功能，適用於大批量生產。

規格參數


參數	220V 50 / 60HZ	380V 50 / 60Hz	380V
電壓	220 V	340-430 V	380V
功率	20 KW	25 KW	30 KW
震動頻率	200-1050	200-1200	400-1500
震動時間	30-100 KHZ	30-80 KHZ	30-80 KHZ
震動次數	100	100	100
溫度	≥95	≥95	≥95
溫度精度	≤40°C	≤40°C	≤40°C
震動幅度	0.06-0.12 Mpa	0.06 Mpa-0.12 Mpa	0.06 Mpa-0.12 Mpa
震動速度	7.5 L/min	7.3 L/min	7.5 L/min
震動範圍	620 * 290 * 500	560 * 220 * 590	600 * 255 * 540
震動重量	25	22	35
震動尺寸	450 * 255 * 390	450 * 255 * 390	450 * 255 * 390

本系列超聲波冷熱震動器具有多種規格，適用於不同類型的工件，歡迎垂詢。



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Non-conventional tools welding



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Iron pipe welding




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Copper tube welding



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



□□□□ **Boreway** □□□□□□
□□□ Hongxing □□□□□□ Shuitou □□□□□□□□□□
□□□□ 362342
TEL □ 86 □ 595 □ □ 86990206 / □ + 86 □ 18250633812
□□□□□ □ 86 □ 595 □ □ 86990220
WhatsApp □ + 86-18359335376
□□□□□□□□ Choisdong
E □□□□ borewa05@boreway.net