



2500mm



Technical description line 1

Technical description line 2

Technical description line 3




Technical description line 4


1000-3500 mm					
	mm				
40	1000	24	7.4 / 6.8	15	70
44	1100	24	7.4 / 6.8	15	74
48	1200	24	7.5 / 7.0	15/20	80
52	1300	24	8.0 / 7.4	15/20	88

56	1400	24	9.0 / 8.4	15/20	96
64	1600	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.5 / 10.5	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180

2500mm 24mm 11.5mm / 10.5mm 15mm / 20mm 140




2500mm 24mm 11.5mm / 10.5mm 15mm / 20mm 140



**M Shape Multi-Layer Structure,
Good debris removal and better cooling**



SPK: 24*8.4/7.6*15M
DIA: 600-1800/2000
FOR Granite
NUM: 100Pcs
SD604 6-18/20 U115 K45
DATE: 2013.03.26



Single Blade



□□□□




Fan Shape Edge Segment




Normal Shape Edge Segment



W Shape Edge Segment




K Shape Block Segment



V Shape Block Segment



M Shape Block Segment



Slant Slot Edge Segment



Turbo Shape Edge Segment



U Slot Edge Segment





□□□□□

