


Boreway 40mm 1200 mm

0000



40mm diameter, 1200mm length, precision ground, high speed steel, suitable for cutting tools, etc.

0000

1. Sharp edge, high precision, suitable for cutting tools, etc.

2. High strength, high wear resistance, suitable for cutting tools, etc.

3. **40**mm diameter, 1200mm length, precision ground, high speed steel, suitable for cutting tools, etc.

4. High strength, high wear resistance, suitable for cutting tools, etc.

0000

40mm diameter, 1200mm length, precision ground, high speed steel, suitable for cutting tools, etc.

0000			00000000				0000 RPM									
000	00	00	L	W	H	00	RPM	48	1200	5.5[6.0]	80	24	7.5[8.0]	10/13	80/130	950

High strength, high wear resistance, suitable for cutting tools, etc.

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

Support Sample Processing Customization

Style and Specifications



Contact Salesman

Due to the large number of product specifications and styles, in order to avoid conflicts, please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.



2



□□□□□




□□□□□□□□□□

□□□□

40□□□□□□□□□□□□□□□□ □□□□□□□□□□



● Cold Press Mschine



● Fill The Mold




● The Product Polishing




● Hot Press Machinery





● Remove The Mold



● Packing







□□&□□□

PS□

1.□□□□□□□□□□□□□□□□

□□□□□□2.Air / Sea□□□□□□/□□□□□□

3.45kg□□□□□□□□□□□□□□□□□□□□

4.□□□□□□□□□□□□□□□□□□□□□□

