説明:

ダブルボタンサイズ**25x12mm**の**Laveena**ダイヤモンド研削プレート

ダイヤモンドコンクリート研削靴は、広い範囲の薄いコーティングの除去、コンクリートの高いスポットのレベリングと平滑化、およびコンクリートの洗浄に非常に有効な最適なソリューションです。彼らのセグメントは、コンクリートの積極的な粉砕のために設計されており、より大きなプロジェクトの作業を減らします。これらの高品質のダイヤモンド研削靴は、コンクリート研磨プロセスの初期段階にも最適です。

これらの急速に変化するダイヤモンド研削靴は、ラビナフロアグラインダーにとって健康であり、優れたダイヤモンドオペレーターが現場で過ごす時間を短縮し、より速く切断し、より積極的になり、予算を節約します。

仕様:

以下は、ダブルボタン形状のLaveenaダイヤモンド研削プレートの一般的な仕様です
25x12mm:

名前:	ダブルボタンサイズ25x12mmのLaveenaダイヤモンド研削プレート
ブロックグリット:	16#30#50#120#など
形:	ラビナ
ブロック形状	ダブルラウンドセグメント
素材:	ダイヤモンド＋金属粉
品質:	国際標準品質
ボンド:	ソフト、ミディアムハード、ハード
利点:	高い研削効率

特別に設計されたツールは、すべての標準アプリケーションで使用できます。できる 特定のニーズに合わせて機器を調整します。

製品の説明:

ダブルボタンサイズ**25x12mm**のラビナダイヤモンド研削プレート:

当社の製品に興味がある場合は、私をクリックしてください。

ヒント: ダイヤモンドボンドの選択

ソフトボンド-硬質コンクリートの場合、4000~5500 psi。ダイヤモンド結晶が露出して硬い表面を研磨するには、結合を柔らかくする必要があります。硬化コンクリートは、硬化花崗岩、石英、川石、火打ち石で構成されています。

中程度の結合-中程度のコンクリートの場合、2500~4000 psiが推奨され、最も一般的で最も一般的な結合です。一般的なピット砂利および/または中程度の川の石、

□□□

□□□□□□-□□□□□□□□□□□□□□□□2500 psi□□□

□□□□□□□□□□□□□□□□5500 psi□□

□□□□□□□□□

□□□□□□□□25x12mm□Laveena□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□/□□

□□□

1□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
2□□□□□□□□□□□□□□□□□□□□□□□□□□□□
3□□□□□□□□□□□□□□□□□□
4□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□6□□16□□20□□30□□60□□80□□150□□220□□280□□300□□400□
□□□□□□□□□□□□□□□
□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□

□□□□□

3□□□□□□□□□□

4□□□□□□□□

□□□□□□□□

□□□□
□□□□BOREWAY MACHINERY□□□BOREWAY□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□
□□

□□□□□□□□□□

1.Low□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
2□ □□□□□□□□□□□□□□□□□□□□□□□
3.□□□□□OEM□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
4.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
5□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

[illegible]

1.[illegible]

[illegible]

[illegible]

[illegible]

[illegible]8[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

3.[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1[illegible] [illegible]

2[illegible] [illegible]

3[illegible] [illegible]bitT CRT[illegible]LCD[illegible]

4[illegible] [illegible]

[illegible]

Fujian Nanan boreway Machinery Co.,Ltd.

[illegible]362342[illegible]ah[illegible]605[illegible]

[illegible] [illegible]+86[illegible]595-86990206 / [illegible] [illegible]+86[illegible]595-86990220

[illegible]/ **WhatsApp / WeChat**[illegible] [illegible]+ +[illegible] 13559599186

[illegible] boreway09@boreway.net

[illegible]