[illegible]

[illegible]

[illegible]3LBS[illegible]rPolisher[illegible]ubber[illegible]4 "[illegible]

[illegible]/[illegible]

[illegible]t[illegible] 90psi~116psi[illegible]0.62MPa~0.8MPa[illegible]

[illegible]

[illegible]10[illegible] [illegible]5[illegible]

[illegible]

1[illegible]

2[illegible]

3[illegible]3 "-4"[illegible]

4[illegible]

[illegible]

[illegible]

Weight	1.6KG
Type	Angle Grinder
Air Inlet	1/4” Npt
Disc Diameter	4Inch,100mm
Free Speed	0-4500 RPM
Power Source	Pneumatic
Air Consumption	16cfm(0.45m3/min)
Disc(Wheel) Type	Polishing Pad
Maximum Diameter	5 Inch 125mm
Shaft Thread	M14 , M16 , 5/8”-11
Air Pressure	90Psi (621KPa)

□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

boreway®

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com