




Grinding Machine



Concrete Grinding Effect



Concrete Hardness

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

2 Husqvarna Redi Lock

Scanmaskin Redi Lock

Scanmaskin Redi Lock



Husqvarna Redi Lock Blank Scanmaskin Blank

1

1. Husqvarna Redi Lock

2. Husqvarna Redi Lock

Husqvarna Redi Lock

Husqvarna Redi Lock

Husqvarna Redi Lock

.3 Husqvarna Redi Lock

1

1 Husqvarna Redi Lock

2 Husqvarna Redi Lock

3. 产品系列

4. 产品特点

产品系列

1. 产品类型

2. 规格: 6寸, 16寸, 20寸, 30寸, 60寸, 80寸, 150寸, 220寸

3. 适用设备: 金刚石锯片, 金刚石钻头, 金刚石工具

4. 特点: Redi-Lock 系统

产品特点



产品系列

4. 产品特点

联系我们

电话

FUJIAN NAN'AN BOREWAY MACHINERY Co.,LTD 中国福建省南安市 ... 产品系列 ... 产品特点 ...

地址

福建省南安市 ...

中国福建省南安市 ...

联系我们

1. 产品系列

2. 规格

3. OEM 服务

4. 产品特点

5. 应用

联系我们

1. 本公司专业生产各种规格...
...
...8...
...

...
...
...
...
...

3. 本公司专业生产各种规格...
...
...
...

...

- 1. ...
- 2. ...
- 3. ...CRT...LCD...
- 4. ...

...

Fujian Nanan **boreway** Machinery Co.,Ltd.

 362342 Hu...605
 **TEL** +86 595-86990206 /  +86 595-86990220
 / **WhatsApp / Wechat** + 86 13559599186
 **E** boreway09@boreway.net
 ...