





Redi

[illegible][illegible][illegible]

□□□	□□□□□□□□□□
□□□□	□□□□□□□□□□
□□□□□□□□□□	16-270□etc□
□□□□□ □□□□	33 * 17/13 * 8mm * 1T
□□□	□□□□□□□□□□
□□□	□□□□□□□□□□□□
C□□□	□sqvarna Redi Lock □□□Scanmaskin Redi Lock
□□□	□□□□□□□□□□□□□□□□ □□□□□
□□□□	□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□ □□□□□□□□ □□□□□□□□□□□□


--	--	--	--	--

□ □ □ □ □ □ □ □ □ □ □ □



Husqvarna or
Scanmaskin Redi Lock







2 Scanmaskin Redi Lock

--	--	--	--	--	--	--	--	--

[illegible]



CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

1

2

3

4





□□□□□□□□

1. □□□□□□□□□□□□□□□□□□
2. □ □□□□□□□□□□□□□□□□□
3. □□□□□OEM□□□□□□□□□□□□□□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
5. □ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

1. □□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□8□□□□□□□□□□□□□□□□□□□□□□□□□□□□

