




□□□ □□□□□□□□□□□□□□□□ □

□□	□□□□□□ □□	□□
50mm	35mm	M16

□□□□ □□	□□	□□□□□□ □□	□□□□□□
bw- z z - M01.	25mm□1 "□	35mm 40mm 45mm	M14 M16 5/8 "-11 1/2 "G.
	50mm□2 "□		
	75mm□3 "□		
	100mm□4 "□		

□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□





**adv adv**

1. 高剛性、高強度、高耐磨性
2. High Speed Cutting (HSC) 対応
3. 高精度加工が可能
4. 切削速度が従来のドリルビットに比べて約2倍向上
5. 切削力が増加し、加工効率が向上



**adv**

CNC加工に最適なドリルビット

adv 株式会社は、最新の加工技術と高品質のドリルビットを提供しています。お客様の加工条件に合わせて最適なドリルビットをお勧めいたします。









□□□□□□□□□□□□

1. □□□□□□□□□□□□□□□□
2. □□□□□□□□□□/□□□□□□□□□□/□
- 45kg □□□□□□□□□□ Express □□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□□□□□□□□□





