□□□

HTC□□□□□□□□□□HTC□□□□□□□□□□□

□□

□□□

□□□□□□□□□□ **HTC**□□□□□□□□□□□**HTC**□□□□□□□□□□□□□

□□□□	□□□
□□□□	□□□□□□□□□□□
□□□□□□□□□□	16-270□etc□
□□□□□□□□□	40 * 10 * 10MM * 1T
□□□	□□□□□□□□□□
C□□□	HTC EZ□□□□□
□□□	□□□□□□□□□□□□
□□□	HTC□□□□□□□□□
□□□□□	□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□

[illegible]

[illegible]HTC[illegible]HTC[illegible]



[illegible]

[illegible]



□□

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□

1□□□□□□□

3□□□□□□□□□□□□□

2□□□□□□□

2□□□□□□□□□□□□□□□□□

3□□□□□□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□

1.□□□□□□□□□□□□□□□□□□□□□□

2.□□□□OEM□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4.[illegible]
5.[illegible]

[illegible]

1.[illegible]
[illegible]
[illegible]
[illegible]
[illegible]8[illegible]
[illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

3.[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

1.[illegible]
2.[illegible]
3.[illegible]

[illegible]

Fujian Nanan Boreway Machinery Co.,Ltd.
[illegible] [illegible]No.605[illegible]ah[illegible]
[illegible] 362342
TEL[illegible] [illegible]+86[illegible]595-86990206 /[illegible]+ 86[illegible] 13559599186
[illegible] [illegible]86[illegible]595-86990220
E[illegible] boreway05@boreway.net