


56	1400	24	9.0 / 8.4	15/20	96
64	1600	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.8 / 10.8	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180


2000mm 24mm 10.6mm / 9.8mm 15/20mm 128mm

2000mm

2000mm 24mm 10.6mm / 9.8mm 15/20mm 128mm



M Shape Multi Layer Structure,
Good debris removal and better cooling



2000mm

Applicable materials




To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






SPK: 24*8.4/7.6*15M
DIA: 600-1800/2000
FOR Granite
NUM: 100Pcs
SD604 6-18/20 U115 K45
DATE: 2013.03.26



Single Blade



□□□□



□□□

1. □□□□□□□□□□□□□□□□

2. □□□□□□□□□□

3. □□□□□□□□□□□□□□□□□□

□□□□□



Granite Block Cutting Segment



Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment






□□□□□

□□□□□

□□□□ □ □□□ □□□□



SEGMENTS FOR GRANITE

SPEC	24*10.6/9.8*15 MM
DIAM	2000MM
CODE	BWT-1W204(95H17)
QUANTITY	128 PCS
DATE	2019.04.30

1. 轉速RPM
- 2.
- 3.


3. 轉速
轉速

轉速

轉速

轉速

Fujian Nanan *boreway* Machinery Co.,Ltd.

 轉速362342 No 轉速605

 **TEL** +86 595-86990206 /  轉速 +86 595-86990220

 轉速 / **WhatsApp / Wechat** + 86 13559599186

 **E** boreway06@boreway.net

 轉速