


| | 2000PCD0200000000 |
|---|-----------------------------------|
| | 16-270□etc□ |
| | 1/4 PCD * 2T [] D25mm * H5mm * 2T |
| | PCD +0000000000+0000000 |
| C | 3 X M6000M80000000 |
| | |
| | |
| | |

Two Square Segments Sizes:20*20*10mm*2T





Quick Connecting Grinding Machine





- 1. 300M600000000000
- 2. 300M800000000000





| CONCRETE HARDNESS | Xtreme Hard | Very Hard | Hard | Medium Hard | Soft | Very Soft |
|----------------------|----------------|-----------|-----------|----------------|-----------|-----------|
| PSI | 6500-9000 | 5000-7000 | 4000-5000 | 3000-4000 | 1500-3500 | 1000-2000 |
| MPA | C50-C65 | C40-C55 | C30-C50 | C20-C40 | C15-C25 | C10-C20 |
| CODE | XHF | VHF | HF | MHF | SF | VSF |
| COLOUR | | | | | | |

ППП









- 3.____OEM_____

3.00000000000000000

Fujian Nanan functional Machinery Co.,Ltd.

₹ 00000003623420000Hu00006050

☎TEL□ □+86□595-86990206 / **№**□□□□□□ □+86□595-86990220

□ □ □ □ □ | WhatsApp / Wechat □ □ + 86 □ 13559599186

©E□□□□ <u>boreway05@boreway.net</u>