

□□:

1. □□ □□ □□□□ □□□, □□□, □□□□ □ □□ □□□ □□ □□, □□ □□□□ □□ □□ □□□□□, □□□ □□□ □□□□□ □□ □□□ □□□ □ □□□□;
2. □□□ □□□□ □□□□ □□□ □□ □□□□□ □□□□ □□□□ □□ □ □□□□ □□□ □□□ □□□□ □□□□□.
3. □□ □□ □□ □□ □□□□□ □□□□□, □ □□□ 20 □□□□□ □□□□, □ □□ □□ □□ □□ □□□ □□□ □ □□□□;
4. □□ □□□ 700 RPM □□□□, □□ □□ □□□ □□ □□□□ 5 ~ 6 □ □□□, □□□ □□ □□ □ □□□□.
5. □□ □□ □□□ □□□ □□□ □ □□ □□□□ □□□ □□□ □□□ □□□□, □□ □□□ □□ □□□ □□ □□□ □□□ □□□ □ □□□.

□□:

□□ □□ □□□ □□□□ □□□ □□ □□□□ □□□□□ :

1. □□□ □□□ □□□ □□ □□ □□ □.
2. □□□ □□□ □ □□ □□, □□ □□□ □□□ □□□□□;
3. □□ □□□ □□, □□□ □□□□□ □□□ □□ □□□□□□□;
4. □□ □□□□ □□, □□□ □□ □□□□ □□ □ □ □□□□.
5. □ □□ □□, □□□□□ □□ □□□□ □□□ pockmarked □□□.

□□:

□□□	□□		□□ □□	□□□□ □□	□□
	□□	mm			
□□ □□ □□	5	125	□	30	M14 M16 5/8 "-11 42mm 50mm
	6	150	4	45	
	8	200	□	30	
			6	45	
	10	250	4	□0	
			8	45	
			5	□0	
	12	300	10	45	
			6	□0	

□□ □□ □ □□□ □□□ □□ □□□ □□ □ □ □□□□.

□□□□ :

boreway®



The image displays two views of a 3/4 inch ball valve. The left view is a perspective shot showing the valve's body, which has two threaded ports on top, and the handle assembly with a knurled grip. The right view is a top-down perspective of the valve body, highlighting the four port openings and the central ball mechanism.



00 00:00



□□□ :

Fujian Nanan Boreway Machinery Co.,Ltd.

□□: Huahui Center 605, Shuitou Town, Quanzhou, Fujian, China

□□ □□ : 362342

TEL : (+86) 595-86990206 / (+ 86) 18250633812

□□: (+86) 595-86990220

WhatsApp : + 86-18359335376

□□□: boreway04@boreway.net