

#### 4. 如何選擇合適的齒輪？

請參考以下：

#### 4. 如何選擇合適的齒輪？

1. 齒輪的直徑和厚度。

2. High 齒輪，其齒距和齒形。

3. 齒輪的材質和表面處理。

齒輪的直徑和厚度 4. Perfect 齒輪。



D100\*50T\*5/8"-11




D100\*45T\*5/8"-11



D100\*35T\*5/8"-11





### Diamond Zero Tolerance Grinding Wheels for Floor Drain

□□:

□□ □□ **4** □□ □□□ □□□□□ □□ □□□□ □□□ □□ :

□□	□□ □□	□□□ /□□
100mm	35mm	5/8 "-11.

□□ □□ :

□□	□□□□ □□	□□
25mm. (1")	35mm 40mm 45mm	M14. M16. 5/8 "-11. 1/2 "G.
50mm. (2 ")		
75mm. (□")		
100mm (4 ")		





□□ □□□ □□□ □□ □ □ □□□□

00 : 00 00.

4 00 000 000000 00 00000 0CNC 00 0 Manchine Polishing.

4 00 000 00000 00 00000 000000...0 00000000000000 0000000000000 000000000000000,0000,000, 000,00,00 0000.

000000 00 00 00000 000000 000000000 00 0000 00000 0000 00 0 0000 00000 00 00 000000. 00 000000 00.









□ □ : \_\_\_\_\_



□□ □ □ □ :

1. CANT CARTON □□□□ □□□□ □□□□
2. □□ □□, □□ / □□□□□□ □□ / □□ □□
3. 45kg □□, □□□□□□ □□□□□□ (□ □□)
4. □□□□ □□□□ □□□□ □□ □□ □□□□□□.



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□□□ □ □□□□.
2. □□ □□ : □□□□□ □□ □□□□□ □ □□□□□□□□.
3. OEM □□ : □□□ □□□ □□□□ □□□ □□ □□□ □ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□□ □□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□□ □□ □□□ □□□□ □□□□□ □□□□□□.

□□□□ □□:

1. □□□ □□□□ □□□ □□□ □□□ □□□ □ □ □□□□?  
 □□ □□ □□□ □□□ □ □□ □□□ □□□□□. □□ □□ □□□ □□ □□□□□ □□ □□□ □□□□ □□ □□ □□□□ □□ □□ □□□□. □□□ 8 □ □□ □□□□□ □□□ □□□□ □□ □□ □□□□□. □□□ □□□ □□ □□□ □□□□ □ □□□ □□ □□ □□□□□.
2. □□ □□□ □□ □ □ □□□□?  
 □□□ □□ □□□ □□□□ □□□□. □□□ □□□□ □□□ □□□ □□□□ □□□□ □□□ □□ □□□□ □□□□□. □□□ □ □□ □□□□ □□ □ □□□□. □□□ □□□ □□ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□□□□□. □ □□□ □□□□□□□□ □□ □□□□□□.
3. □□□ □□ □□□ □□□□□?



