

00 00

4inch # 3000 000 00 000000 00 00 (00, **100MM** 00 0000 00 0000)

00: 0000 0000 00 00 00 00. 00 0000 00 0000 0000.

0 00 4 00 00 00 0000 00 000000 00 00 0000 0000 0

00000 00 0 00 00 000000 00, 0000 00000 00 0 00 00, 0000 00

00 0 00 00 00 00 **contoured** 00 **polishing**.The 000000 00 0000 000000 00000

00 0000 00, 00 00 0 00000 0 0000, 0.

00:

1. 000000 00000 00000 00 0000 0000 00.
2. 00 0 00 00 00 0000 000000 000000.
3. 00 00, **wear-resistant** 0 0 00, 00 00 0.
4. 0000 00000000 00000 00 0000 00.
5. 00 00, 00, 0000, 00000, 0000 00, 00000 00 000000.

00: 00 0000 00 000000 00 00 000000 00 0000

00 100mm / 4 "00 3mm, 00 00, M14 0 00 00

00 00 00 : # 50, # 100, # 200, # 400, # 800, # 1500, # 3000

00:

4inch # 3000 0000 00 000000 00 00, 00 **100MM** 00 0000 00 0000


boreway®



Bowl shaped wet diamond polishing pad

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Bowl shaped wet diamond polishing pad

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Bowl shaped wet diamond polishing pad

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Bowl shaped wet diamond polishing pad

Boreway Machinery Co., Ltd.

www.diamondtools.top

www.boreway.com

boreway®



Bowl shaped wet diamond polishing pad

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

□ □ □ □ □ □, Pls □ □ □ □ □ □ □ □ : □ □ □ □ □ □ □ □

□ □ & □ □:

1. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □;
2. □ □ □ □ □ □ □ □ □ □ □ □ □ □.

-DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



☐☐☐ :

Fujian Nanan Boreway Machinery Co.,Ltd.

☐☐ : **Huahui Center 605, Shuitou Town, Quanzhou, Fujian, China.**

☐☐ ☐☐ : 362342

☐☐ : 0086-595-86990206

☐☐: 0086-595-86990220

☐☐: ☐☐ ☐☐

☐☐☐ / **WhatsApp** : 0086-13559599186

Wechat / Skype : boreway 05

Facebook : 13559599186

☐☐☐: boreway05@boreway.net

☐ ☐☐☐ : [http : // www.diamondtools.top](http://www.diamondtools.top)