

說明:

此類 90X55MM (Hard Foam-backed) 產品 係由 硬質 泡棉 製成 且 具有 良好 之 穩定 性 與 耐用 性, 適合 用於 各種 應用, 如 包裝, 保護, 支撐 等 用途。 請 參閱 說明 書 以 獲取 更多 資訊。

特點:

1. 輕便 且 易於 搬運。
2. 具有 良好 之 穩定 性 與 耐用 性。
3. 適合 用於 各種 應用。
4. 價格 低廉 且 易於 獲取。

請 參閱 說明 書 以 獲取 更多 資訊。

規格:

此類 90X55MM (Hard Foam-backed) 產品 係由 硬質 泡棉 製成 且 具有 良好 之 穩定 性 與 耐用 性。


規格	尺寸	數量	備註
90 * 55mm	800 # 1500 # 3500 #		
100 * 55mm	7000 #		
	60 # 120 # 200 # 400 #		

請 參閱 說明 書 以 獲取 更多 資訊。

說明:

此類 90X55MM (Hard Foam-backed) 產品 係由 硬質 泡棉 製成 且 具有 良好 之 穩定 性 與 耐用 性。

**boreway**®



**Boreway Machinery Co.,Ltd**  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)

**boreway**®



**Boreway Machinery Co.,Ltd**  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)

**boreway**®





**boreway**®



**Boreway Machinery Co.,Ltd**  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)

**Boreway Machinery Co.,Ltd**  
[www.fordiamondtools.com](http://www.fordiamondtools.com)  
[www.diamondtools.top](http://www.diamondtools.top)



Boreway Machinery Co.,Ltd  
www.fordiamondtools.com  
www.diamondtools.top

Boreway Machinery Co.,Ltd  
www.fordiamondtools.com  
www.diamondtools.top

□ □ □ □ □ □ □ □, Pls □ □ □ □ □ □ □ □ □ □ : □ □ □ □ □ □ □ □ □ □

□ □ & □ □ :

1. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □;
2. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □.

## -DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR



BY SEA



□ □ □ :

**Fujian Nanan Boreway Machinery Co.,Ltd.**

□ □ : Huahui Center 605, Shuitou Town, Quanzhou, Fujian, China.

□ □ □ □ : 362342

□ □ : 0086-595-86990206

□ □ : 0086-595-86990220

☎: ☎ ☎

☎☎ / **WhatsApp** : 0086-13559599186

**Wechat / Skype** : boreway 05

**Facebook** : 13559599186

☎☎: boreway05@boreway.net

☎ ☎☎ : [http : // www.diamondtools.top](http://www.diamondtools.top)

---