

Boreway 40 1200mm



40 is a high-speed steel (HSS) grade, known for its excellent wear resistance and ability to maintain hardness at high temperatures. It is commonly used for cutting tools like drills, end mills, and inserts. The '40' refers to its carbon content of approximately 0.40%.

1. Sharp

1. Sharp cutting edge for efficient material removal.

2. High wear resistance, maintaining sharpness during long runs.

3. **40** HSS is suitable for cutting a wide range of materials, including mild steel, stainless steel, and cast iron.

4. Good machinability, allowing for easy tool fabrication and regrinding.

40

40 HSS is a high-speed steel grade used for cutting tools.

mm	mm	PC / mm	mm				mm	RPM	48	1200	5.5 (6.0)	80	24	7.5 (8.0)	10/13	80/130	950
					H												

40 HSS is a high-speed steel grade used for cutting tools.

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

Support Sample Processing Customization

Style and Specifications



Contact Salesman

Due to the large number of product specifications and styles, in order to avoid conflicts, please contact the salesman before placing the order.

1

Provide Samples

The manufacturer supports the sample processing and customization, and the buyer provides the sample first to communicate the production requirements.



2



Mail Samples

According to the buyer's demand for proofing, the manufacturer needs the buyer to pay the proofing fee first, and the sample fee will be returned after the order is concluded.

3

Generate Order

The buyer receives the sample. If satisfied, place an order for batch production. After confirming the receipt, contact the salesman to return the proofing cost.




4

磨削速度 280-320 rpm 磨削时间 10-15 分钟 磨削量 0.1-0.2 mm!

磨削参数:

40 磨削速度 磨削时间



Raw Material:
Diamond, Metal Powder, Etc



□□ □□ □□ □□□□ □□

□□ □□ :

40 □□ □□□□ □□ □□□□ □ 900mm ~ 3500mm □ □□ □□ □□ □□□□ □□□□, □□ □□.



□ □ □ :



□□ □□ :

□□ □□ :

40 □□ □□□□ □□ □□□□□ □ □□ □□□□ □□ □□



Brazing Machine Welding Rack

+



Three Phase 380V 30kW High Frequency Induction Welding Machine



Welding segment effect

□□□ □□□□ □□ □□□□ □□□□□□□□.

□□□□□ □□□□□ □ □□ □□ □□□□ □□□□□. □□□□ □□□□ □□ □□□□□ □□□ □□□□□ □□ □□□□ □□ □□□ □ □□□□□.

□□ □□:



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

300 ~ 800mm U □□□□□□□□



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net


□□□□□□□□□□□□

□□□□ □□ :

40 □□ □□□□ □□ □□□□□ □



● Cold Press Mschine



● Fill The Mold




● The Product Polishing




● Remove The Mold




● Hot Press Machinery



● Packing







□□ □ □ □ :

□□:

1. □□ □□ □□ □□

□□ □□□□ 2.By □□ / □□, □□ / □□ □□

3. 45 □□□□, □□□□ □□ □□□□ (□)

4. □□□ □□ □ □□ □□□□ □□□□□.



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□.
2. □□ □□ :□□ □□□□□□ □ □□ □□□□□□.
3. OEM □□ : □□□ □□ □□ □□□ □□ □□ □ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.

□□□□ □□:

1. □□□ □□□ □□□ □□□□ □□ □□□, □□□ □□□ □□□ □□ □□□□?
 □□ □□□□ □□□□□ □□□ □ □□□□. □□□□, □□□□ □□ □□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□□□. □□□□ 8 □ □□□ □□ □□□ □□ □□ □□□□□ □□ □□□□□□□□.
2. □□□ □□ □□□ □□?
 □□□ □□ □□□ □□□□ □□□□. □□□□ □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □ □□□□ □ □□□□ □ □□□□ □ □□□□. □□□□ □□ □□□□ □□□ □□ □□□□□□□□□□. □□□□ □□ □□□ □□□□□□.
3. □□□□ □□□ □□□ □□□□□?
 □□□, □□□□ □□□ □□□□□□□□. □□ □□□, □□ □□ □□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □□ □□□□. □□□ □□ □□ □□□ □□□ □□□ □□□ □□□ □□□□□□□□□□. □□□□ □□□ □□□ □□ □□ □□□□ □□□ □□ □□□□ □□□ □□ □□□□□ □□□ □□□□□ □□□□□ □□□□□.

☎ :

歡迎各界人士垂詢。本公司備有各種型號之機器，歡迎各界人士垂詢。本公司備有各種型號之機器，歡迎各界人士垂詢。

☎☎☎:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, 中國



☎ : (+86) 595-86990206 /  ☎: (+86) 595-86990220



☎ / **WhatsApp / Wechat** : (+ 86) 18650679939



☎☎: **boreway@boreway.com**



☎ ☎