

□□:


□□□□ □□□□ □□ □ □□□□ □□

1. □□ □□□ □, □□□ □□, □□□ □□, □□□ □ □□□, □□□, □□□□, □□ □□ □□, □□□□, □□ □□□□ □□□ □□ □ □ □□□□.



2. □□□ □□□ □□ □□□ □□□□ : □□□□ □□, □□ □□□□ □□;  
□□□□□ □□□□ □□□ □□□□ □□□ □□□□ □ □□□□.

□. □ □□□□□ □□ □ □□ □□□□□ □□□□□ □□ □□ □□ □□ □□□□ □□□□□.  
□□ □□ □□□ □□ □□□□□ □□ □□ □□ □□□□ □□□□.



Cutting Machine

Circular Saw Machine

Hand Held Angle Grinder

4, ආවේණිකව පවතින බාහිර ආරක්ෂක ආවේණික ආවේණික / ආවේණික ආවේණික ආවේණික ආවේණික, ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික.

ආවේණික:


ආවේණික ආවේණික ආවේණික ආවේණික ආවේණික:

ආවේණික ආවේණික	ආවේණික ආවේණික	ආවේණික ආවේණික	ආවේණික ආවේණික	ආවේණික ආවේණික	ආවේණික ආවේණික	ආවේණික ආවේණික	ආවේණික ආවේණික
ආවේණික ආවේණික ආවේණික ආවේණික	ආවේණික mm.	ආවේණික mm.	ආවේණික mm.	ආවේණික mm.	ආවේණික mm.	ආවේණික PCS.	ආවේණික ආවේණික ආවේණික ආවේණික
4 "	105.	0.070 "	1.8.	16/20.	8mm	8.	ආවේණික ආවේණික ආවේණික ආවේණික
4.5 "	115.	0.070 "	1.8.	22.23.	12mm.	8.	
5 "	127.	0.080 "	2.0.	25.4 /	8mm	10.	
6 "	152.	0.085 "	2.2.2.2	50.	8mm	12.	
7 "	178.	0.085 "	2.2.2.2		8mm	14.	
8 "	203.	0.095 "	2.4.4		8mm	16.	
9 "	229.	0.110 "	2.8.8		8mm	18.	

ආවේණික ආවේණික, ආවේණික ආවේණික ආවේණික ආවේණික.

ආවේණික

**boreway**<sup>®</sup>



Boreway Machinery Co., Ltd.  
[www.boreway.com](http://www.boreway.com)

**boreway**<sup>®</sup>




Boreway Machinery Co., Ltd.  
[www.boreway.com](http://www.boreway.com)

**boreway®**



Boreway Machinery Co., Ltd.  
[www.boreway.com](http://www.boreway.com)

**boreway®**



Boreway Machinery Co., Ltd.  
[www.boreway.com](http://www.boreway.com)

□□□□ □□, □□ □□□ □□ □□□□□□.

1. □□□□ □□ (2.8-9.5mm)

2. □□□□□ □□□□□ □□ (40 / 24mm)

3. Segment Height (8 / 10 / 12 / 13 / 15 / 20 / 30mm)

4.SAW 鋸齒輪 (齒輪 / 齒輪 / 齒輪)

5. 齒輪 (105-250mm 及 250-3500mm) 齒輪 齒輪齒?

6. 齒輪 (齒輪, 齒輪, 齒輪, 齒輪, 齒輪)

7.Saw 鋸齒輪 (16/20, 22.23, 25.4, 50, 50/60, 60/80, 90/100, 100 / 120mm)

8.Cutting 齒輪 (齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪)

9. 齒輪 (齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪, 齒輪)

齒輪
----



