

□□□:

3 □□ 10 □□□□ □□ □□ □□ □□, □□ □□ □□□□□□ □□□□, □□□□ □□ □□ □□ □□ □□□□. □□ □□ □□□□□□ □□ □□ □□□□ □□ □□ □□□□ □□ □□ □□□□□□.

□□□□ □□ □□□□ □□ □□ Boreway □□□□□□ □□ □□ (□□□□ □□□□□□ □□ □□ □□□□) □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□□□.

1) □□ □□ : 16 #, 24 #, 25 #, 30 # □.


□□□□ □□ □□□□ □□, □□□□ □□ □□ □□ □□ □□ □□□□□□ □□□□ □□□□.

2) □□ □□ : 36 #, 50 / 60 #, 60 / 80 # □.

□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□ □□ □□□□ □□ □□□□.

3) □□ □□ : 80 / 100 #, 100 / 120 #, 120 / 150 #, 200 # □.

□□ □□□□ □□ □□ □□□□ □□□□ □□□□ □□ □□ □□ □□ □□ □□ □□□□□□ □□ □□□□ □□□□.



Flexible Diamond Metal Polishing Pads

□□□:







Before



After



CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□ □ □ :



□□ □□ □□ :

□□:

1. □□ □□□□ □□□□ □□
2. □□ / □□ □□ □□, □□ / □□ □□
3. 45kg □□, □□□□□□ □□ □□ (Door to Door)
4. □□□□ □□ □ □ □□ □□□□ □□□□□□.

Fujian Nanan *boreway*® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



☎ : (+86) 595-86990206 /



☎:(+86) 595-86990220



☎ / **WhatsApp** / **Wechat** :(+ 86) 18650679939



☎: **boreway@boreway.com**



☎ ☎