





□□ □□ □□:

□□ □□ □□ □□ □□ □□:

□□ □□. :	30 / 40 #
□□□□ □□ :	5 □□
□□:	2,000 □
□□:	1/2 "G
□□:	□□ □□
□□:	□□ □□
□□□□ □□ :	□□□ □□□ □□
□□ □□□ :	□□ □□

□□ □□ □□□□□□□□□□ □□□ □□□ □□ □□□ □ □□□□.

□□ :

- 1) □□ □□□ □□ □□□.
- 2) □□ □□□ □□ □□□.
- 3) □ □□ □□□ □□ □□□□□.

4) 噴霧加工の概要

概要:

噴霧加工は、CNC加工機を用いて、加工対象物に高圧の加工液を噴射しながら加工を行う加工方法である。

加工の概要

1. 加工液の噴射
2. 加工液の浸透
3. 加工液の除去
4. 加工液の回収
5. 加工液の再利用
6. 加工液の廃棄



加工機 :



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□□□ □ □□□□.
2. □□ □□ : □□ □□ □□□□□ □ □□□□□□□□.
3. □□ □□□ OEM : □□□ □□□ □□ □□ □□□ □□ □□□□ □□□□.
4. □□□ □□ : □□□ □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□□ □□□ : □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□.

□□ □□:

DHL, UPS, FedEx, TNT, EMS □□ □□ □□ □□

□□ □□ □□□ □□ Exwork, FOB, CNF, CIF □□□ □□ □□ □□ □□ □□ □□ □□□□ □□ □□□ □□□□ □□ □□□□□.



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



□□□□ □□:

**1. □□□ □□□□ □□□ □□□ □ □ □□□□?**

□□ □□ □□□□ □□□□□□□□. □□□□ □□□ □ □ □□□□. □□ □□□ □□ □□□□ □□□□ □□ □□□□□ □□□ □□ □□ □□□□□□. □□ □□ □□ □□ □□□□□ □□ □□□□□□□□. □□□□ □□ □□□ □□□□□□□□ □□ □□ □□□□□□□□.

**2. □□ □□□ □□ □ □ □□□□?**

□□□ □□ □□□ □□□□ □□□□. □□□□ □□□ □□□ □□□□ □□□ □□ □□□ □□ □□ □□□ □□ □□ □□□□. □□□ □□□ □□ □□□ □□□□ □□□ □□□ □□□□□□□□. □□□□ □□□□ □□ □□ □□□□□□. □□□□□ □□□□□ □□ □□ □□□□□□.

**3. □□□ □□□ □□ □□□ □□□□□?**


□□□ □□□ □□□ □□□□□□□□. □□ □□, □□ □□ □□□□□□. □□ □□□ □□□ □□□ □□□ □□ □□ □□□□□. □□□ □□□ □□ □□□□□ □□□ □□□ □□□ □□□ □□□ □□□□□□□□. □□□ □□ □□ □□□ □□□□. □□□ □□□ □□□□□ □□□□ □□□ □□□ □□□ □□□□□□□□□□.

□□ :

1. □□□□ □□ □□□ □□□□□□□□.
2. □□□□ □□ □□ □□□ □□□□□□□□.
3. □□ □□□ □□ □□□ □□ □□□ □□ □ □ □□□□□.

□□□□:

**Fujian Nanan *boreway* Machinery Co.,Ltd.**

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 □□ : (+86) 595-86990206 /  □□:(+86) 595-86990220

 / **WhatsApp / Wechat** :(+ 86) 18650679939

: **boreway@boreway.com**

 **Lyon Chang**