



BW-DDB-S03.	20mm (3/4 ")	17 / 12x3x10.
	22mm (7/8 ")	17 / 12x3x10.
	25mm (1 ")	17 / 12x3x10.
	29mm (1-1 / 8 ")	17 / 12x3x10.
	32mm (1-1 / 4 ")	16x3x10.
	35mm (1-3 / 8 ")	16x3x10.
	38mm (1-1 / 2 ")	16x3x10.
	42mm (1-5 / 8 ")	16x3x10.
	45mm (1-3 / 4 ")	16x3x10.
	50 / 51mm (2 ")	16x3x10.
	57mm (2-1 / 4 ")	22x3.5x10.
	60mm (2-3 / 8 ")	22x3.5x10.
	63mm (2-1 / 2 ")	22x3.5x10.
	70mm (2-3 / 4 ")	22x3.5x10.
	76mm (3 ")	22x3.5x10.
	80mm (3-1 / 8 ")	22x3.5x10.
	89mm (3-1 / 2 ")	22x3.5x10.
	100mm (4 ")	22x3.5x10.
	110mm (4-3 / 8 ")	22x3.5x10.
	127mm (5 ")	24x4x10.


□□  
□□  
□□

4 "  
(100mm)

□□ □□  
□□  
□□□ □□

5/8 "-11.  
M14.  
1/2 □□  
12b.

□ S.□□□ □□□□□ □□□□□. □□ □□□ □□□ □ □□□□.



D45 \* 100L \* R1 / 2 "G



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

(+86) 595-86990206: (+86) 595-86990220  
 wechat: (+86) 18650679939:   
[boreway@boreway.com](mailto:boreway@boreway.com)

[<=>](#)

□ □

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

□□□□ □□

**1. 如何選擇合適的鑽頭尺寸和型號？**

請根據您的加工材料、加工深度、加工速度、加工溫度、加工環境等因素進行選擇。鑽頭尺寸應與加工材料相匹配。鑽頭型號應與加工環境相匹配。鑽頭型號應與加工溫度相匹配。鑽頭型號應與加工速度相匹配。鑽頭型號應與加工深度相匹配。

**2. 如何選擇合適的鑽頭材料？**

鑽頭材料應根據加工材料、加工深度、加工速度、加工溫度、加工環境等因素進行選擇。鑽頭材料應與加工材料相匹配。鑽頭材料應與加工環境相匹配。鑽頭材料應與加工溫度相匹配。鑽頭材料應與加工速度相匹配。鑽頭材料應與加工深度相匹配。

**3. 如何選擇合適的鑽頭品牌？**

請根據您的加工材料、加工深度、加工速度、加工溫度、加工環境等因素進行選擇。鑽頭品牌應與加工材料相匹配。鑽頭品牌應與加工環境相匹配。鑽頭品牌應與加工溫度相匹配。鑽頭品牌應與加工速度相匹配。鑽頭品牌應與加工深度相匹配。

□□ □□:

DHL, UPS, □□□, TNT, EMS □□ □□ □□ □□

□□ □□ □□□□ exwork, FOB, CNF, CIF □□ □□ □□□□ □□□ □□ □□□ □□□ □□□□.



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

□□□□:

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)



No.605 Huahui Center, Shitou Town 362342 Quanzhou, Fujian, China.