


□□ :



□□□□□□ □□□□ □ □ □□ **HTC** □□□□ □□□□ □□

□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □ □□□ □□□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□. □□□ □□□ □ □□□□□ □□□□ □□ □ □□□□ □□ □□ □ □□□□. □□□ □□□□ □□□□ □□□□□ □□□□□ □□ □□□□ □□ □□ □□□□ □□□ □□ □□.

□□□ □□ □□□, □□□, □□□ □□, □□ □ □□ □□□□□. 6 #, 16 #, 20 #, 30 # □□□□ 400 # □□ □□□□□.

□□□:


□□□ □□□□ □□ □□ □ □□ □□ □□ □□□ HTC □□□□□ □□□□ □□□□□.:

HTC:	HTC Metal Bond
HTC #:	# 16- # 270
HTC Size:	H10mm * 2T (Double Rhombus)
HTC Shape:	Double Rhombus
HTC Connection:	HTC Metal Bond
HTC Material:	HTC Metal Bond
HTC Application:	HTC Metal Bond
HTC Part:	HTC Metal Bond

HTC Metal Bond is a high-strength, high-temperature resistant adhesive. It is used for bonding metal parts in various applications. The adhesive is applied to the metal surfaces and cured to form a strong bond.

HTC Metal Bond:

HTC Metal Bond is a high-strength, high-temperature resistant adhesive. It is used for bonding metal parts in various applications. The adhesive is applied to the metal surfaces and cured to form a strong bond.



HTC Metal Bond is a high-strength, high-temperature resistant adhesive. It is used for bonding metal parts in various applications. The adhesive is applied to the metal surfaces and cured to form a strong bond.

HTC Metal Bond:

HTC Metal Bond is a high-strength, high-temperature resistant adhesive. It is used for bonding metal parts in various applications. The adhesive is applied to the metal surfaces and cured to form a strong bond.



Grinding Machine



Concrete Grinding Effect

□□ :

□□ □□□□ □□ □□□ □□ □□ □□ □□ □□ □□□□□□.

□□:

□□□ □□□ □□
□ □□ □□□□□ □□□□□ □□□□□ □□□ □□□□□□.
□□ □□□ □□□□□ □□□, □□ □ □ □□□□ □□□□□□
□□ □□□ □□□□ □□ □□□□ □□□ □□□□□□.

□□ □□:



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

0-0000-00-00



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

0-0000-00-00

0000 00 :

00 00
00 NAN'AN BOREWAY MACHINERY 00 0000 00 000000. 0000 00 0000 0000 000000 00 0 0 000000 0000 0
0 0000 00 0 0 00000. 0000 00 0000 00000 00 00, 000000 00 00, 000000 00 00 00, 0 00 0, 000000 00000, 0
00000 0000 00 0 00 0 00 000000. 0000 00 0000 00 00000 00, BOREWAY 00 00000000 0 00 0000 00 00000.
. 0000 00000 0000 000000 00000 0000 00. 000000.

00000 0000
00 00 0 00 0000 0000000.
0000 000000 0000 00 000000 00, 00000000 0000 0000 00000 00 0000 00 00000.

0000 0000:

1. 00 00 00 : 0000 0000 0000 00.
2. 00 00 :00 000000000 0 00 000000000.
3. OEM 00 : 0000 00 00 0000 00 00 0 0 00000.
4. 00 00 : 0000 0000 00 00 00000 00000. 00000 00 0000 00 00000.
5. 00 0000 : 0000 00 0000 00000 0000 00 0000 0000000 0000000.

00:

1. 0000 0000 0000 000000 00 0000, 0000 0000 0000 00 00 00000?
00 00 0000 0000000 0000 0 0 00000. 0 00
0000 00 00000 00000 00000 00 00 0000 000000.
000000 00. 0000 00 0000000 00 000000000.
0000, 8 0 00 00, 00 0000 0000 00000000, 00 0000 0000 0000 0 00000
0000.

0000 0000 00 0 0 00000?
0000 00 0000 00000 00000. 00000 0000 00000 00000 00 00000 00000.
00 0000 00000000 0000 0 00 0000 0000 00000 0 00000. 0000
0000 0 00000 0000 0000 00 00 0000 00 0 0 0000 00000000.
00000 000000 00000 00 00 000000 0000 00 00 0 00000.

3. 如何選擇合適的設備?

這取決於您的預算、生產量、材料類型等。我們提供各種型號的設備，以滿足您的不同需求。請與我們的銷售人員聯繫，我們將為您提供最專業的建議。

請選擇：

- 1) 如果您需要切割各種厚度的材料，我們提供多種型號的設備。請與我們聯繫！
- 2) 如果您需要切割不銹鋼、鋁合金等材料，我們提供專門的設備。
- 3) 如果您需要切割厚板，我們提供 CRT 和 LCD 兩種型號的設備。
- 4) 如果您需要切割薄板，我們提供多種型號的設備。

請選擇：

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, 中國

 電話：(+86) 595-86990206 /  電話：(+86) 595-86990220

 手機 / **WhatsApp / Wechat** : (+ 86) 13559599186

 郵箱: boreway09@boreway.net

 人員