


12	300	40	3.0	10/12	21
14	350	40	3.2	10/12	24
16	400	40	3.6	10/12	28
18	450	40	4.0	10/12	32
20	500	40	4.2	10/12	36
24	600	40	4.6	10/12	42
28	700	40	5.0	10/12	50
32	800	40	6.0	10/12	57

1. 此系列刀片之設計，係針對各種不同之物料而設計，
 2. 刀片之厚度為 40，其長度為 3.0 至 6.0。刀片之寬度為 10/12。
 3. 刀片之重量為 21 至 57。刀片之數量為 21 至 57。

刀片規格表：

刀片之厚度為 40，其長度為 3.0 至 6.0。刀片之寬度為 10/12。




Unique turbo shape design, allows ideal debris removal and better cooling.

刀片：

此系列刀片之設計，係針對各種不同之物料而設計，刀片之厚度為 40，其長度為 3.0 至 6.0。刀片之寬度為 10/12。


Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.





□□ □□ :



□□ :

1. □□ □□ □□□□ □□□ □□□□ □□ □□□ □□□ □□□, □□□□ □□□ □□.
2. □□ □□ □□ : □□□□ □□, □□ □ □□ □□.
3. □□□□ □□, □□ □□ □□, □ □□□ □□.

□□ □□:



Granite Block Cutting Segment



Granite Edge Cutting Segment




Marble Block Cutting Segment



Marble Edge Cutting Segment

□□□ □□ :

□□□ □□□ □□ □□ □□□□ □□□ □□□□ :



□ □ □ □ :



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□.
2. □□ □□ :□□ □□□□□□□ □ □□ □□□□□□□.
3. OEM □□ : □□□ □□ □□ □□□ □□ □□ □ □ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.

□□□□ □□:

1. □□□ □□□□□ □□□□□ □□ □□□ □□□ □ □ □□□□?
 □□ □□□ □□□□□ □□□□□ □□□ □□□ □□□ □ □ □□□ □□□□ □□□ □□ □□□□. □□□ □□ □□□ □□□ □□ □□ □□ □□ □ □□ □ □□□ □□□□.
2. □□□□□ □□□□□ □□□ □□ □□□ □□□□□□□□□?
 □□ □□ □□□ □□ □□□ □□□ □□□□□□□.

- 1). 轉速多少 RPM.
- 2). 轉速與轉矩的關係如何 (轉速 : 轉矩的關係如何)。
- 3). 轉速與轉矩的關係?

3. 轉速與轉矩的關係?


轉速與轉矩的關係。轉速與轉矩的關係如何。


轉速 :

轉速與轉矩的關係。轉速與轉矩的關係如何。轉速與轉矩的關係如何。

轉速 :

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, 中國

 電話 : (+86) 595-86990206 /  電話 : (+86) 595-86990220

 手機 / **WhatsApp** / **Wechat** : (+ 86) 13559599186

 郵箱 : boreway06@boreway.net

 人員