

Boreway 150mm



□□:

- □□ □□ □□□□ □ □ □ □□□ □□ □□□□
- □□ □□□□ □□ □□□□, □□□□ □□□□ □□ □□□□ □□□□ □□ □ □ □□□ □□ □ □□□ □□ □□ □□ □□□□□.
- □□□ □□ □□ □□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□. □□□□□ □□□□ □□ □□□ □ □□□□.
- □□ □ □□ □□□ □□ □ □ □□□□□, □□□ □ □□□, □□ □□□ □□ □ □□ □□ □□□□□□.

□□ = □□ □□ = □□ □□ = □□ □□ = OEM


Key slot design

1.Reduces the deformation of saw blade caused by cutting thermal expansion.



High purity low oxygen pre alloyed powder is used for cutter head carcass

- 1.Strong control and wear resistance;
- 2.The cutter head is not easy to break and deform



High purity low oxygen pre alloyed powder is used for cutter head carcass

- 1.Strong control and wear resistance;
- 2.The cutter head is not easy to break and deform

□□:

□□□□ □□ □□□□ □□ □□□

1. □□ □□ □□ □□

2. 鋼 鋼鋼鋼 鋼鋼 鋼鋼
3. 鋼鋼鋼 鋼 鋼 鋼鋼 鋼鋼鋼
4. 鋼 鋼 鋼 鋼 鋼 鋼鋼 鋼鋼 鋼 鋼鋼鋼.

Our factory use original high grade diamond



pk

Other factory mix second diamond selected from waste segment




Our blade cutting effect



pk

Other supplier blade cutting effect



鋼:

鋼鋼 鋼鋼鋼 鋼鋼鋼 鋼 鋼鋼鋼 鋼 鋼鋼 :


鋼	mm	鋼 (mm / inch)	鋼 (mm)	鋼鋼鋼	鋼	鋼 (mm)	4	105	35	6.8	8/10/12
4.3	110	32.3	6.8/9	8/10/12							
4.5	115	38.5	8	8/10/12							
5	125	37.5	9	8/10/12							
6	150	33.5	12	8/10/12							
7	180	35	14	8/10/12							
8	200	39.2	14	8/10/12							
9	230	34.4	18	8/10/12							

16.00
22.23
25.4
30

鋼 鋼鋼 鋼 鋼 鋼鋼 鋼鋼 鋼鋼 鋼 鋼 鋼鋼 鋼鋼 鋼 鋼鋼鋼.



● Cold Press Mschine



● Fill The Mold



● The Product Polishing





● Hot Press Machinery



● Remove The Mold



● Packing



□□□□ □□ :

1. □□□ □□□□ □□ □□ □□ □□ □□ □ □ □□ □□□□□□.

□□□ □□□ □ □□□ □□□ □□□ □□□□□□□□

□□ □□□ □□□□ □□ □□□ □□ □ □□□□ □□□□□□.

2. □□□ □□ □□ □ □□□ □□□□ □□□□.

3. □□□ □□□□ □□ □□, □□ □□ □ □□□, □□ □□□ □□□□□□, □□□ □□ □□□□ □□□, □□□ □□ □□□□□□□□.

4. □□ □□□□ □□ □□□ □□□□□□.


□□ :

□□ □□, □□ □□ □□ □□!

□□□□□ □□ □□□□ □□ □□□ □□□, □, □□□, □□, □□□, □□□ □□ □ □□ □□□ □□□□□.



Non Slip Tile



Floor Tile



Ceramic Tile



Concrete



Granite



Marble


□□ □□□□ □□ :

□□□□□ □□ □□□□ □□ □□□□ ...□ □□ □□ □□□□, □□ □, □□ □, □□□ □





□□ □□ :



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com


[D350 * 3.2 * 20 * 40mm * 50 / 60mm Slient Cutting Saw](#)



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

[40 □□ 1200mm □□□□ □□□□](#)

□□□ □□ :





□□ □ □ □ :

□□:

1. □□ □□ □□ □□

□□ □□□□ 2.By □□ / □□, □□ / □□ □□

3. 45 □□□□, □□□□ □□ □□□□ (□)

4. □□□ □□ □ □□ □□□□ □□□□□.



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□.
2. □□ □□ :□□ □□□□□□□ □ □□ □□□□□□□.
3. OEM □□ : □□□ □□ □□ □□□ □□ □□ □ □ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.

□□□□ □□:

1. □□□ □□□□□ □□□ □□□ □ □ □□□□?
 □□ □□□□ □□□□□ □□□ □ □ □□□□. □□□□, □□□□ □□ □□□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□□□□. □□□□ 8 □ □□□ □□ □□□ □□ □□ □□□□□ □□ □□□□□□□.
2. □□□ □□ □□□ □□?
 □□□ □□ □□□ □□□□ □□□□. □□□□ □□□ □□□□ □□□ □□□ □□□ □□ □□□ □□ □□□ □□□□ □□□□. □□□ □□□□□□ □□□ □ □□ □□□ □□□ □ □□□□ □ □□□□ □ □□□□. □□□□ □□ □□□□ □□□ □□ □□□ □□ □ □ □□□□□□□□□. □□□□ □□ □□□ □□□□□□.
3. □□□□ □□□ □□□ □□□□□?
 □□□, □□□□ □□□ □□□□□□□□. □□ □□□, □□ □□ □□ □□□□ □□□ □□ □□□ □□□□ □□ □□□□ □□□ □□□ □□□ □ □□□□. □□□□ □ □□ □□ □□□ □□□ □□□ □□□□ □□□□ □□□□□. □□□□ □□□□ □□□□ □□□ □□□ □□□ □ □□□□. □□□□ □□□ □□□ □□ □ □ □□□□□ □□□ □□□□□ □□□ □□□□□ □□□ □ □□□□□ □ □□□□□ □ □□□□.

☎ :

歡迎各界人士垂詢。本公司備有各種型號之機器。價格公道。歡迎各界人士垂詢。歡迎各界人士垂詢。

☎☎☎:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, 中國



☎ : (+86) 595-86990206 /  ☎: (+86) 595-86990220



☎ / **WhatsApp** / **Wechat** : (+ 86) 18650679939



☎☎: **boreway@boreway.com**



☎ ☎