

16	400	40	3.6	8/10	28
18	450	40	4.0	8/10	32
20	500	40	4.2	8/10	36
24	600	40	4.6	8/10	42

16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42
 16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42
 16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42

16 18 20 24 :

16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42 :





16 18 20 24 :

16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42
 16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42
 16 18 20 24 400 450 500 600 40 40 40 40 3.6 4.0 4.2 4.6 8/10 8/10 8/10 8/10 28 32 36 42

Applicable materials


To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.







□□ □□ :




□□ :

1. □□□□ □□□□ □□□ □□□ □□ □□□□.
2. Excellent □□□ □ □□ □□.
3. High □□ □□□, □□, □ □□□ □□□□.

□ □□ □□ □□□ □□□ □□□□□□□□. [□□_□□_□□□□_□□](#)

□□□□ □□ :

□□□□ □□□ □□ □□ □□□□ □□□□ :



- 1). 鋼 鋼 鋼 RPM
- 2). 鋼 鋼 鋼 鋼 鋼 (鋼 : 鋼 鋼 鋼 鋼)
- 3). 鋼 鋼 鋼 鋼?

3. 鋼 鋼 鋼?

鋼 鋼 鋼, 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.

鋼 :

鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼. 鋼 鋼 鋼 鋼. 鋼, 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼. 鋼 鋼 鋼!

鋼 鋼:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 鋼 : (+86) 595-86990206 /  鋼:(+86) 595-86990220

 鋼 / **WhatsApp / Wechat** :(+ 86) 13559599186

 鋼: boreway06@boreway.net

 **Aaron Lin**