

□□ :

□□ □□ □□ □ □□□□ **1600mm V** □□ □□ □□□□ :

**boreway**®



□ □□□ □□ □□ □□ □ □□□ □□□□ □□□□ □□ □□ □ □□ □□ □□.

□□□ □□ □□ □□ □□□□ □□ □ □□□ □□ □□ □ □□□ □□□□ □□ □ □□ □□ □□□□ □□ □□□□, □□□□□ □□ □ □□ □□□ □ □□□ □□□□, □□□□ □□ □□ □□□□.

□□□ □□□□□ □□□□□ □□ □□ □□□ □□ □□□□□!

□□□:

□□□ □□□ □□□□ □□□ □□□□ □ □□□ □□□□□□□□  
□□ □□ □□ □ □□□ □□□□ □□ □□□□ □□□□□□.


1000-3500 mm □□□ □□□□ □□□□ □□					
□□	□□□□□ □□			□□	□□
□□	mm	□□	□□	□□	□□
40	1000	24	7.4 / 6.8	15	70
44	1100	24	7.4 / 6.8	15	74
48	1200	24	7.5 / 7.0	15/20	80

52	1300	24	8.0 / 7.4	15/20	88
56	1400	24	9.0 / 8.4	15/20	96
64	1600 □	24	9.0 / 8.4	15/20	108
72	1800	24	10 / 9.0	15/20	120
80	2000 □	24	10.6 / 9.8	15/20	128
88	2200	24	11.5 / 10.5	15/20	136
100	2500	24	11.8 / 10.8	15/20	140
120	3000	24	13.0 / 12	15/20	160
140	3500	24	13.5 / 12.5	15/20/30	180

1600mm V □□ □ □□ □□ □ □□□ □□ □□, □□ □□  
□□□ □□□ □□ □□□ □□□□□□□□. □□ □□□ □□ □□□ □□ □ □□□□.

□□ □□ □□ :

□□ □□ □□ □ □□□□ **1600mm V** □□ □□ □□□□ :



M shape Multi Layer Structure,  
Good debris removal and better cooling

□□ :

□□ □□ □□ □ □□□□ **1600mm V** □□ □□ □□□□. □□□, □□, □□□ □□□ □□ □□ □□.


## Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






SPK: 24\*8.4/7.6\*15M  
DIA: 600-1800/2000  
FOR Granite  
NUM: 100Pcs  
SD604 6-18/20 U115 K45  
DATE: 2013.03.26



# Single Blade



□□ □□ :



□□ :

1. □□□□ □□□□ □□□□ □□ □□.
2. □□□□ □□ □□ □□.
3. □□ □□ □□, □□, □□□□ □ □□.

□□ □□:



Granite Block Cutting Segment



Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment

□□□ □□ :

□□□ □□□ □□ □□ □□□□ □□□ □□□□ :





□ □ □ □ :

□ □ :

□ □ ... □ □ □ □ □ □ :



□□:

Less than 45kg, generally delivery by express(Door to Door).



By Air or by Sea for batch goods, Airport/ Port receiving

By air



By sea



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□ □□.
2. □□ □□ :□□ □□□□□□□ □ □□ □□□□□□□.
3. OEM □□ : □□□ □□ □□ □□□ □□ □□ □ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□ □□□□□.

□□□□ □□:

- □□□□□ □□□□□ □□□□□ □□ **1.** □□□ □□□ □□□ □ □□□□?
- □□□ □□□□□ □□□□ □□□ □□□□ □□□□□□□□□□. □□ □□□ □□ □□□□. □□□ □□ □□□ □□□ □□ □□ □□ □□□ □□ □□□ □□□□.
- 2.** □□□□□ □□□□□ □□□ □□ □□ □□ □□□□□□□□□?
- □□ □□□ □□ □□□ □□□ □□□□□□□.

1. 鋼絲繩轉速 RPM.
2. 鋼絲繩的長度與直徑 (直徑 : 鋼絲繩的直徑).
3. 鋼絲繩的直徑?

3. 鋼絲繩的直徑?

鋼絲繩, 鋼絲繩直徑. 鋼絲繩的直徑與鋼絲繩的直徑有關.



鋼絲繩 :

鋼絲繩的直徑與鋼絲繩的直徑有關. 鋼絲繩的直徑與鋼絲繩的直徑有關. 鋼絲繩的直徑與鋼絲繩的直徑有關. 鋼絲繩的直徑與鋼絲繩的直徑有關.


鋼絲繩 :

## Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, 中國

 電話 : (+86) 595-86990206 /  電話 : (+86) 595-86990220

 手機 / **WhatsApp** / **Wechat** : (+ 86) 13559599186

 郵箱 : [boreway06@boreway.net](mailto:boreway06@boreway.net)

 鋼絲繩