

20	500	40	4.2	8/10	36
24	600	40	4.6	8/10	42

1. 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96 100
 2. 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96 100

3. 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96 100 : 20-24-28-32-36-40-44-48-52-56-60-64-68-72-76-80-84-88-92-96-100

20 24 28 :

1. 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96 100 :





20 :

1. 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96 100, 20, 24, 28 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96 100.

Applicable materials


To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.







□□ □□ :



□□ :

1. □□□□ □□□□ □□□ □□□ □□ □□□□.
2. Excellent □□□ □ □□ □□.
3. High □□ □□□, □□, □ □□□ □□□□.

□□□□ □□ :

□□□ □□□ □□ □□ □□□□ □□□□ :



□ □ □ □ :



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□□□ □□□ □□□ □□ □ □□□□.
2. □□ □□ :□□ □□ □□□□□ □ □□□□□□□□.
3. □□ □□□ OEM : □□□ □□□ □□ □□ □□□ □□ □□□□ □□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□ □□□□□.

□□□□ □□:

1. □□□□□ □□□□□ □□ □□□ □□□ □□□ □ □ □□□□?
 □□ □□□□ □□□□□ □□□□ □□□ □□□ □□□□□ □□□□ □□□ □□ □□ □□□□. □□□□ □□ □□□ □□□ □□ □□ □□ □□□ □□ □ □□□ □□□□.
2. □□□□□ □□□□□ □□□ □□ □□□ □□□□□□□□□?
 □□□□ □□ □□□ □□□ □□□□□□□□□. □ :

