

16	400	2.6 (2.8)	40	3.4	20/12/15	28
18	450	2.8 (3.0)	40	4.0	20/12/15	32
20	500	2.8 (3.0)	40	4.4	20/12/15	36
22	550	3.0 (3.2)	40	4.6	20/12/15	40
24	600	3.4 (3.6)	40	4.6	20/12/15	42

□□□ □□ **U** □□ □□ □□ □ □□□□□ □□ □□ □□□□, □□ □□
 □□□ □□□ □□□□ □□ □□□□ □□□□□□□□□□. □□ □□□ □□ □□□ □□ □□□ □□ □□□□□.
 □ □□ □□□□ : □□□ □□ **V** □ □□

□□ □□ □□:

□□□ □ □□□ □□ **U** □□ □□□□□ □□ □□ □□□□ :



□□ :

□□□ □ □□□ □□ **U** □□ □□□□□ □□ □□ □□□□. □□□□□ □□□□ □□ □□□, □□ □□□ □□□ □□ □□□ □□□ □□.

Applicable materials




To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.



Diamond Saw Blade Cutting



□□ □□ :



□ □ □ □ :



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□□□ □□□ □□□ □□ □ □□□□.
2. □□ □□ :□□ □□ □□□□□ □ □□□□□□□□.
3. □□ □□□ OEM : □□□ □□□ □□ □□ □□□ □□ □□□□ □□□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□ □□□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□□ □□□□□ □□□□□□.

□□□□ □□:

1. □□□□□ □□□□□ □□ □□□ □□□ □□ □ □ □□□□?
 □□ □□□□ □□□□□ □□□□ □□□ □□□ □□□□□ □□□□ □□□ □□ □ □□□□. □□□ □□ □□□ □□□ □□ □□ □□ □□□ □ □ □□□ □□□□.
2. □□□□□ □□□□□ □□□ □□ □□□ □□□□□□□□□?
 □□□ □□ □□□ □□□ □□□□□□□. □ :

