

00 00 :


D51X100LX5 / 8 "-11. [BOREWAY 00 00 00 00 00 00](#), 00 000 000 0000 000, 00 000 00000 00 00 00 000 00000 0000 00 00 00 0000, 00 000 0000 00000 00 0 00 000 000000 0 000 000 0000. 00 0 00.

00 000 00000 000 00 00 00 0000 00 0000 51mm, 000 100mm00 000 5/8 "-1100, 000 00 000 00 0 0000.

00000 000 00 00 00 00 00 00 00, 000 00 00 00 0000 0000 000000.

Internal Thread:5/8 "-11

Fast And Smooth Drill



BOREWAY. [00 00000 00 00 00 00 00 00](#) 00:

1. 00000 00 00 00 0000, 0, 00, 00, 000 00 000 000 0 0000.
2. 000 000 000 0 0 0000. 00 0 000 00 00 00 0000 000 0000 00 0 0 0000.
3. 00 00000 00 00000. 00, 000 00 00 00 00 00 00 00 0 0000 000000 (000 0000 00 00).
4. 00 00000 00 0000 000 00 00 0 0 00 000 000 00000. 000 00000 00 00 0000.

00:

1. 000 000 0000 00.
2. 00 000 000 00 00 00 CNC 00 000 000000.
3. 000 0000 0000000 0000 00 0000 00 0 0000.

4. 此種鑽石鑽頭適用於鑽孔直徑為 1/2 吋至 1 吋。

5. 此種鑽石鑽頭適用於鑽孔直徑為 1/2 吋至 1 吋，且適用於鑽孔深度為 100 公釐。

6. 此種鑽石鑽頭適用於鑽孔直徑為 1/2 吋、3/4 吋、1 吋、1 1/4 吋、1 1/2 吋、2 吋。



Diamond Dry Drill Bit





Brazing Protection Strip

- 1. Protective matrix
- 2. Reduce friction
- 3. Reduce resistance
- 4. Improve speed and efficiency.

□□ □□:

□□□□ □□□□□ □□□ □□ □□ □□ □□ □□ :

□□	□□	□□	□□
□□□□□□□□ □□□□□□□□ □□□□	51mm	100mm	5/8 "-11.

□□ □□□ □□ □□□, □□ □□□ □□□ □□□ □ □□□□.



Ceramic Tile



Granite



Marble




Terrazzo



Pebbles



Glass



Quartz Stone



Hard Material




1.Angle Grinder



2.Add Angle Grinder Gasket



3.Angle Grinder With Dry Drill





□ □ □ □ :

☐☐☐☐:

Fujian Nanan *boreway* Machinery Co.,Ltd.



No.605 Huahui Center, Shitou Town 362342 Quanzhou, Fujian, China.



☐☐ : (+86) 595-86990206 /



☐☐:(+86) 595-86990220