

□□:

1. **M** □□ □□□□ □□ □□□□ □□ □□□□ □□ □□ □□ □□□□ □□□□□.

□ □□ □□ 2. □□□ □□ □□.

□. □□ □□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□ □ □□□ □□.

□□ □ □□ reserch□ □□□ □□□ 4. □□.

□□□ □□ 5. □□□□□ □□ □□□□ □ □ □□ □ □□□ □□ □□□ □□ □□ □□ □□□□ □□□□.

□□ □□ :

1. □ □□ □□□□ □□□□□ □□□□□ □□, □□, □□, □□□, □□ □□ □□ □□□ □□ □□ □□□ □□ □□ □□ □□ □□ □ □ □□□□.

□ □□□ □□ 2. □□ □□ □□□□□□ □□□□□ □□□□ □□ □□□ □□□ □□□□□. □ □□ □□□□□ □□□□ □□□□□.

□ □□ TEMPRATURE □ □□ 3. □□□ □□ □□□ □ □□ - □□□ □□□ □□□□□ □□□ □□□□□.

4. □□ □□ □□□ □□□ □□□ □ □□ □□ □□□ □□□ □□ □□□□.

□□ □□:

□□□ □□ □□□□□ **M** □□ □□□□□ □□ □□□□:

| □□□□ □□ | □□□□ □□ | | |
|---------|---------|-------------|------|
| | □ | W | □□ |
| 1350MM | 24MM | 8.0 / 7.0MM | 20MM |

□□ □□□ □□ □□□ □, □□ □□□ □□□ □□□ □□ □□□ □ □□□□□□□□.

□□ □□□□□ □□ □□ :

| Diameter | | Thickness | Teeth | Segment Size | | | Hole | Max. RPM | Cutting Stone |
|----------|------|-----------|---------|--------------|-----------|----------|---------|----------|---------------|
| Inch | mm | mm | pcs/set | L | W | H | mm | RPM | # |
| 10" | 250 | 1.8(2.2) | 17 | 40 | 3.2 | 8/10/12 | 50/60 | 3450 | Granite |
| 12" | 300 | 1.8(2.2) | 21 | 40 | 3.2 | 12/15/20 | 50/60 | 2850 | Granite |
| 14" | 350 | 2.2(2.4) | 24 | 40 | 3.2 | 12/15/20 | 50/60 | 2450 | Granite |
| 16" | 400 | 2.6(2.8) | 28 | 40 | 3.6 | 12/15/20 | 50/60 | 2150 | Granite |
| 18" | 450 | 2.8(3.0) | 32 | 40 | 4.2 | 12/15/20 | 50/60 | 1900 | Granite |
| 20" | 500 | 2.8(3.0) | 36 | 40 | 4.2 | 12/15/20 | 50/60 | 1750 | Granite |
| 24" | 600 | 3.6(3.2) | 42 | 40 | 4.6 | 12/15/20 | 50/60 | 1450 | Granite |
| 32" | 800 | 4.2(4.5) | 57 | 40 | 5.5 | 12/15/20 | 50/60 | 1150 | Granite |
| 36" | 900 | 5.0(5.5) | 64 | 40 | 6.5 | 12/15/20 | 60/80 | 950 | Granite |
| 36" | 900 | 5.0(5.5) | 64 | 24 | 7.0/6.2 | 13/15/20 | 60/80 | 950 | Granite |
| 40" | 1000 | 5.0(5.5) | 70 | 24 | 7.0/6.2 | 13/15/20 | 80/100 | 850 | Granite |
| 48" | 1200 | 5.5(6.0) | 80 | 24 | 7.4/6.6 | 13/15/20 | 80/100 | 750 | Granite |
| 56" | 1400 | 6.0(6.5) | 92 | 24 | 8.4/7.6 | 13/15/20 | 80/100 | 600 | Granite |
| 64" | 1600 | 6.5(7.2) | 108 | 24 | 9.2/8.4 | 13/15/20 | 80/100 | 550 | Granite |
| 72" | 1800 | 7.2(8.0) | 120 | 24 | 10.0/9.2 | 13/15/20 | 80/100 | 500 | Granite |
| 80" | 2000 | 8.0(9.0) | 128 | 24 | 11.0/10.0 | 15/20 | 100/120 | 450 | Granite |
| 86" | 2200 | 8.0(9.0) | 132 | 24 | 11.0/10.0 | 15/20 | 100/120 | 400 | Granite |
| 100" | 2500 | 9.0(10.0) | 140 | 24 | 12.0/11.0 | 15/20 | 100/120 | 350 | Granite |
| 120" | 3000 | 9.0(10.0) | 160 | 24 | 12.5/11.5 | 20/30 | 100/120 | 300 | Granite |
| 140" | 3500 | 9.0(10.0) | 180 | 24 | 13.0/12.0 | 20/30 | 100/120 | 250 | Granite |

□□ □□□□ □□ □□ :

| Blade Set | Blade Diameter | Thickness | Segment Size | Cutting Stone |
|-------------|----------------|-----------|---------------------|---------------|
| # | # | mm | LxWxH | # |
| Multi Size | 2200-600 Multi | 4.5 | 24x6.4/5.6x13H(15H) | Granite |
| Multi Size | 2200-600 Multi | 5.0 | 24x7.0/6.2x13H(15H) | Granite |
| Multi Size | 2200-600 Multi | 5.5 | 24x7.4/6.6x13H(15H) | Granite |
| Multi Size | 2200-600 Multi | 6.5 | 24x8.4/7.6x13H(15H) | Granite |
| Multi Size | 2500-800 Multi | 5.5 | 24x7.4/6.6x13H(15H) | Granite |
| Multi Size | 2500-800 Multi | 6.5 | 24x8.4/7.6x13H(15H) | Granite |
| Multi Size | 2500-800 Multi | 7.2 | 24x9.2/8.4x13H(15H) | Granite |
| Multi Size | 1600-960 Multi | 6.5 | 24x8.4/7.6x13H(15H) | Granite |
| Multi Size | 1600-960 Multi | 7.2 | 24x9.2/8.4x13H(15H) | Granite |
| Single Size | 40"/1000mm | 4.5-5.0 | 24x7.0/6.2x13H(15H) | Granite |
| Single Size | 48"/1200mm | 5.0-5.5 | 24x7.5/6.5x13H(15H) | Granite |
| Single Size | 64"/1600mm | 6.5-7.2 | 24x9.2/8.4x13H(15H) | Granite |
| Single Size | 48"/1200mm | 4.0 | 24x5.5x8H(10H) | Marble |
| Single Size | 48"/1200mm | 4.5 | 24x6.0x8H(10H) | Marble |
| Single Size | 48"/1200mm | 5.0 | 24x7.5x8H(10H) | Marble |
| Single Size | 48"/1200mm | 5.5 | 24x8.0x8H(10H) | Marble |
| Single Size | 64"/1600mm | 6.5-7.2 | 24x9.2x10H(8H) | Marble |
| Single Size | 64"/1600mm | 6.5-7.2 | 24x9.5x13H(10H) | Marble |

□□ □□ □□ □□ □, □□ □□ □□ □□ □□ □ □□□□□□□.



□□□□ □□ **M** □□ □□□□□ □ □□□□ □□□□

DIAMOND BLADE SEGMENT


Fast Cutting

Long Life



Customizable Size

Segment Size:
24 x 8.0/7.0 x 20MM



Long Life & Durable

High quality diamond
& metal powder material

M Shape



High effective, environmental friendly, easy operation, long lifespan and no edge broken.





Stone Saw Blade Segment Shape


For Granite



For Marble



Gang Saw Segment Shape



□□□□□□:


M □□ □□□□ □□ □□□□ □□ □□ □□ □□ □□.

□□□, □□, □□□ □□ □□ □□ □□□□ □□ □ □□□□□.


M □□ □□□□ □□ □□□□ □□ □□ 9□~3□5□mm □ □□□□ □□ □□□ □□.




For Block Cutting of Granite, Sandstone, Slate, Kinds of Hard Stone with quartz



One is single size multi cutter, which all blade sizes in same thickness and diameter while the other is multi size multi cutter, two sizes or more different size diameter blades used together in one stone machine.





□□□□ □□

□□□ **OEM** □□□ □□ **1.Can?**

□, □□ □□□ □□ □□, OEM □□□ □□ □□□□□.

□□□□ □□□□ □□ □□□ **2.Are?**

□□□ □□□□□. □□□ □□□ □□ □□□ □□□□□□□□.


3. □□□ □□□ □□□ □□□□□□?

□□, □□□ □□□ □□□ □□□□□□. □□□ □□ □□□ □□□ □□□ □□ □□□□ □□□ □ □□ □□□ □□, □□ □□□ □□□ □□□ □□□□□□. □□□ □□ □□ □□□□□, □□□ □□ □□□ □□□□ □□□ □□□□□□. □□ □□ □□□□□□ □□□ □□□□□ □□□□□, □□ □□ □□□ □□ □ □□□□□.



□□□□:

Fujian Nanan *boreway*® Machinery Co.,Ltd.

 No.605 Huahui □□, Shuitou □□ 362342 Quanzhou, Fujian, China

 **TEL :** (+86) 595-86990206 /  □□:(+86) 595-86990220

 □□□ / **WhatsApp** / □□ :(+ 86) 18650679939

 □□□: **boreway@boreway.com**

 **Lyon Chang**