



Figure 1: Schematic diagram of the calibration process. The diagram shows a yellow calibration head with a calibration wheel. The calibration wheel is used to calibrate the diamond satellite wheel/rollers. The calibration wheel is used to calibrate the diamond satellite wheel/rollers. The calibration wheel is used to calibrate the diamond satellite wheel/rollers.




Figure 2:



Figure 3:

The diamond satellite wheel/rollers are used to calibrate the diamond satellite wheel/rollers.

此種磨料係由優質之磨料製成，其磨料之顆粒大小及形狀均經過嚴格之控制，以確保其具有優良之磨削性能。此種磨料之應用範圍廣泛，適用於各種金屬及非金屬材料之磨削加工。

此種磨料之優點在於其磨削效率高、磨削表面粗糙度低、磨削力小、磨削溫度低、磨削噪音小、磨削廢料少、磨削壽命長、磨削成本低等。

此種磨料之規格如下：

型號	目數	厚度 (mm)	直徑 (mm)	長度 (mm)
BW-DMW-01	24 #	60	70	190
	36 #	60	70	190
	46 #	60	70	190
BW-DMW-02	36 #	60	120	200
	46 #	60	120	200
	60 #	60	120	200

此種磨料之包裝規格如下：  
 1. 每包淨重 10kg  
 2. 每包毛重 11kg



此種磨料之包裝規格如下：



□□□ □□□:

- 1. □□ MOQ : □□□ □□□ □□ □□ □□ □ □□□□.
- 2. OEM □□ : □□□ □□ □□ □□□ □□ □ □□□□.
- 3. Good Service : □□□ □□ □□□□ □□□□ □□□□□ □□□□.
- 4. Good Quality : □□□ □□□ □□ □□ □□□ □□□□. □□□□ □□ □□.
- 5. Fast Delivery : □□□ □□□□□□ □ □□□ □□□□.

□□□□ □□:

- 1. □□□ □□□□ □□□ □□□ □□ □ □□□□?**  
 □□ □□ □□□□ □□□□□□□□. □□□ □□□ □ □□□□□. □□, □□□ □□ □□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□ □□. □□□ □ □□ □□□□ □□□□□ □□ □□□□□ □□□□□□□□ □□□□□□ □□ □□□□□□ □□□□□□.

**2. 鋼 鋼鋼 鋼 鋼 鋼鋼鋼?**


鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼鋼. 鋼鋼鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼鋼鋼. 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼. 鋼鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼. 鋼鋼鋼鋼.

**3. 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼?**

鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼鋼. differentcolor, 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼. 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼, 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼. 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼鋼鋼 鋼鋼鋼 鋼鋼.

鋼鋼鋼:

**Fujian Nanan *boreway* Machinery Co.,Ltd.**

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 : (+86) 595-86990206 /  :(+86) 595-86990220

 / **WhatsApp / Wechat** :(+ 86) 18650679939

 : **boreway@boreway.com**

 鋼鋼 鋼