







☐☐:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR	Blue	Purple	Black	Red	Yellow	Orange

☐☐ : ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐, ☐☐☐☐ ☐☐ ☐☐ ☐☐, ☐☐☐☐ ☐☐☐☐☐.

☐☐☐☐ ☐☐☐☐ :



□□□ □□□:

1. □□ □□ □□ : □□□ □□□ □□□□□ □□□ □□□ □□ □ □□□□.
2. □□ □□ :□□ □□ □□□□□ □ □□□□□□□□.
3. OEM □□ : □□□ □□ □□ □□□ □□ □□□ □ □□□□□.
4. □□ □□ : □□□ □□□ □□ □□ □□□ □□□□. □□□□ □□ □□□ □□ □□□□.
5. □□ □□□ : □□□ □□ □□□ □□□□ □□□□ □□□ □□□□□□ □□□□□□.

□□:

1. □□□ □□□ □□□ □□□□ □□ □□□, □□□ □□□ □□ □□□ □□□?
 □□ □□ □□□ □□□□□□□□. □□□ □□□ □ □ □□□□. □, □□□
 □□□ □□ □□□□ □□□□ □□□□ □□ □□ □□□ □□□□□.
 □□□□□ □□. □□□ □□ □□□□□ □□ □□□□□□□□.
 □□□□ 8 □ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□□□.

