


□□□□:

1. 此產品由本公司委託外廠生產，品質保證，如有任何問題，請洽本公司。
2. 請將此產品安裝於指定位置，並調整至適當位置，以確保其正常運作。
3. 請注意，此產品為專用零件，不可隨意更換，否則可能會導致設備損壞。
4. 請參閱說明書，以瞭解更多關於此產品的詳細資訊。

boreway®




□□:

□□ □□ □□□□ □□ □□ □□ :

□□	□□ □□	□□
50mm.	35mm	M16.

□□ □□	□□	□□ □□	□□
bw- ztw. -m01.	25mm.(1")	35mm 40mm 45mm	M14. M16. 5/8 "-11. 1/2 "G.
	50mm.(2 ")		
	75mm.(□")		
	100mm(4 ")		

□□ : □□ □□ □□ □□ □□ □□ □□ (□□□□□□□□□□□□)





優點:



1. 磨削效率高，磨削力大。
2. High 磨削速度，磨削表面粗糙度小。
3. 磨削精度高，磨削表面粗糙度小。
4. Perfect 磨削。
5. Resin 磨料結合牢固，磨料磨損後易於脫落。

缺點:

0 CNC 磨削，磨料磨損後易於脫落。

磨料磨損後易於脫落，磨料磨損後易於脫落，磨料磨損後易於脫落，磨料磨損後易於脫落，Terazzo 磨料磨損後易於脫落。







□□ □ □ :

1. CANT CARTON □□□□ □□□□ □□□□
2. □□ □□, □□ / □□□□□□ □□ / □□ □□
3. 45kg □□, □□□□□□ □□□□□□ (□ □□)
4. □□□□ □□□□ □□□□ □□ □□ □□□□□□.

□□ □□:

DHL, UPS, □□□, TNT, EMS □□ □□ □□ □□□

□□ □□ □□□□ □□□□ exwork, FOB, CNF, CIF □□ □□ □□□□ □□□ □□ □□□ □□□ □□□□.

□□□□:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shitou Town 362342 Quanzhou, Fujian, China.



□□ : (+86) 595-86990206 /  □□:(+86) 595-86990220



□□□ / **WhatsApp** / **Wechat** :(+ 86) 18650679939.



□□□: **boreway@boreway.com.**



Lyon Chang.